

2

DTIC FILE COPY

USAFETAC/PR-88/002

AD-A202 477



# CORROSION CONTROL CLIMATOLOGY

By

SSgt Debra L. Stoner

OCTOBER 1988



APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

USAF  
ENVIRONMENTAL TECHNICAL  
APPLICATIONS CENTER

Scott Air Force Base, Illinois, 62225-5438

DTIC  
ELECTE  
DEC 19 1988  
S H D

# REVIEW AND APPROVAL STATEMENT

USAFETAC/PR-88/002, *Corrosion Control Climatology*, October 1988, has been reviewed and is approved for public release. There is no objection to unlimited distribution of this document to the public at large, or by the Defense Technical Information Center (DTIC) to the National Technical Information Service (NTIS).

  
PATRICK Q. BREITLING  
Chief Scientist

FOR THE COMMANDER

  
WALTER S. BURGHMANN  
Scientific and Technical Information  
Program Manager

# UNCLASSIFIED

## REPORT DOCUMENTATION PAGE

- 1a. Report Security Classification: UNCLASSIFIED
3. Distribution/Availability of Report: Approved for public release; distribution is unlimited.
4. Performing Organization Report Number: USAFETAC/PR-88/002
- 6a. Name of Performing Organization: USAF Environmental Technical Applications Center (USAFETAC)
- 6b. Office Symbol: USAFETAC/ECE
- 6c. Address: Scott AFB, IL 62225-5438
11. Title: Corrosion Control Climatology
- 13a. Type of Report: Project Report
14. Date of Report: October 1988
15. Page Count: 42
17. COSATI Codes: Field--04, Group--02
18. Subject Terms: CORROSION CONTROL, CORROSION PREVENTION, CLIMATOLOGY, Temperature, Precipitation, Thunderstorms, Relative Humidity, Winds. (JES) ←
19. Abstract: Provides tabular climatological data for 183 locations worldwide; prepared in response to request by an Air Force corrosion prevention and control contractor. Tables give mean number of days with: temperature less than or equal to 40°F at noon LST, precipitation greater than a trace, temperature greater than 85°F for 5 hours or more, thunderstorms, relative humidity greater than 60% at noon LST, wind greater than 15 Knots between 06 & 18 LST, and wind greater than 15 Knots--all hours. *Relevant*
20. Distribution/Availability of Abstract: Same as report
21. Abstract Security Classification: UNCLASSIFIED
- 22a. Name of Responsible Individual: SSgt Debra L. Stoner
- 22b. Telephone: 618 256-3641 A576-3641
- 22c. Office Symbol: USAFETAC/ECE

UNCLASSIFIED

## PREFACE

This report documents work on Project 80343, which was completed by the USAF Environmental Technical Applications Center's Engineering Meteorology Section (USAFETAC/ECE) for Battelle-Columbus Division, 505 King Avenue, Columbus, Ohio 43201-2693. Battelle was under USAF contract to perform a study of USAF paint facility and corrosion prevention and control facility requirements. USAF contact for the Battelle study was Mr David F. Ellicks, WR-ALC/MMEA, Robins AFB, GA 31098-5609.

The report consists of tables (for 183 selected locations) that give the mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
- B Precipitation greater than a trace
- C Temperature greater than 85°F for 5 hours or more
- D Thunderstorms
- E Relative Humidity greater than 60% at noon LST
- F Wind greater than 15 Knots between 06-18 LST
- G Wind greater than 15 Knots--all hours

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
  - B Precipitation greater than a trace
  - C Temperature greater than 85°F for 5 hours or more
  - D Thunderstorms
  - E Relative Humidity greater than 60% at noon LST
  - F Wind greater than 15 Knots between 06 & 18 LST
  - G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Albany NY POR: Jan 46-Dec 81

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	23	20	15	3	#	0	0	0	0	1	9	21	92
B	12	11	12	12	13	11	11	10	10	9	12	12	135
C	0	0	0	0	0	#	1	#	0	0	0	0	1
D	#	#	1	1	4	5	7	5	2	1	#	#	26
E	15	11	10	7	8	7	7	9	9	9	13	15	120
F	11	12	14	15	12	9	7	6	7	9	10	11	123
G	14	14	16	16	13	9	7	6	8	10	12	13	138

Altus AFB OK POR: Feb 43-Jan 88

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	11	7	3	#	0	0	0	0	0	0	2	7	30
B	4	4	5	6	10	7	5	6	5	6	4	5	67
C	0	0	0	1	6	14	19	19	10	2	0	0	71
D	#	1	3	4	9	7	6	6	4	3	1	#	44
E	9	9	7	5	7	5	3	3	6	6	7	8	75
F	9	10	14	14	11	10	7	6	7	9	9	9	115
G	11	12	16	16	14	12	8	7	8	10	10	11	135

Anchorage AK POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	26	23	27	15	1	0	0	0	1	17	25	28	163
B	7	8	8	7	7	8	12	13	14	12	9	11	116
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	0	0	0	0	#	#	#	#	#	0	0	0	1
E	22	16	13	10	7	10	15	18	17	19	23	24	184
F	5	5	4	7	10	9	6	5	4	5	4	4	68
G	8	8	6	9	13	12	8	7	7	7	5	6	96

Andersen AFB, Guam POR: May 48-Dec 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	0	0	0	0	0	0	0	0	0	0	0	0	0
B	19	16	17	17	18	21	23	24	23	24	23	21	246
C	0	0	0	1	3	3	2	3	2	2	1	0	17
D	#	#	#	#	1	1	4	4	5	3	2	#	21
E	27	25	28	27	29	28	29	29	28	29	28	29	336
F	14	14	14	13	10	7	5	5	5	6	11	15	119
G	16	15	15	14	11	8	6	6	6	8	12	16	133

Andrews AFB MD POR: Jun 43-Aug 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	20	15	8	#	0	0	0	0	0	#	3	15	61
B	10	9	11	10	11	9	10	9	8	7	9	9	112
C	0	0	0	0	0	2	4	2	0	0	0	0	8
D	#	#	1	3	5	6	8	6	2	1	#	#	32
E	12	10	10	8	10	10	11	11	11	11	10	12	126
F	11	12	14	13	9	5	4	3	4	7	10	11	103
G	14	14	16	15	10	6	5	4	5	8	12	13	122

ssion For

GRA&I ☒

TAB ☐

ounced ☐

ification

Distribution/

Availability Codes

Avail and/or

Special

Dist

A-1

DTIC  
COPY  
INSPECTED  
6

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

A Temperature less than or equal to 40°F at noon LST

B Precipitation greater than a trace

C Temperature greater than 85°F for 5 hours or more

D Thunderstorms

E Relative Humidity greater than 60% at noon LST

F Wind greater than 15 Knots between 06 & 18 LST

G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

Atlantic City IAP NJ POR: Jan 47-Dec 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	15	12	6	1	0	0	0	0	0	#	2	11	47
B	11	10	11	10	10	9	9	9	7	7	9	10	112
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	1	2	4	5	6	5	2	1	1	1	28
E	13	10	10	8	9	9	10	11	10	9	10	12	121
F	13	12	16	16	13	8	6	5	6	9	11	12	127
G	15	14	17	17	13	9	7	5	7	10	12	13	139

Aviano AB, Italy POR: Jan 56-Dec 83

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	10	7	2	0	0	0	0	0	0	0	1	7	27
B	7	8	9	13	13	14	11	11	8	8	11	8	121
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	2	4	10	13	11	9	5	3	2	#	59
E	17	14	13	11	12	12	10	11	13	13	16	18	160
F	1	1	2	2	1	1	1	1	1	1	1	1	14
G	1	2	2	3	1	2	1	2	1	2	2	1	20

Baltimore MD POR: Aug 50-Dec 81

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	14	11	5	#	0	0	0	0	0	0	2	12	44
B	10	9	11	11	11	9	9	10	8	7	9	9	113
C	0	0	0	0	0	2	4	2	0	0	0	0	8
D	#	#	1	2	4	6	6	6	2	1	#	#	29
E	9	7	6	5	7	7	7	9	9	7	8	10	91
F	10	10	13	12	9	7	5	5	6	7	9	9	102
G	11	11	14	13	9	7	6	6	6	8	10	11	112

Bangor ME POR: Mar 48-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	26	23	20	5	#	0	0	0	0	1	13	24	112
B	12	11	12	11	11	11	10	11	10	11	12	13	135
C	0	0	0	0	0	0	#	#	0	0	0	0	#
D	#	#	#	#	2	3	5	4	2	1	#	#	18
E	15	12	12	10	11	12	11	11	13	12	15	17	151
F	9	10	12	12	12	8	7	6	7	9	8	9	109
G	12	11	14	13	12	8	7	6	8	10	10	11	122

Barksdale AFB LA POR: Mar 37-Aug 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	7	3	1	0	0	0	0	0	0	0	1	3	15
B	9	8	9	8	8	7	7	7	6	5	7	8	89
C	0	0	0	0	5	16	21	20	9	1	0	0	72
D	2	3	5	6	7	8	9	7	5	3	3	2	60
E	16	13	13	12	12	11	10	8	10	8	11	15	139
F	7	8	10	9	5	4	2	2	3	3	6	6	65
G	8	9	11	10	6	4	3	3	4	4	7	8	77

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
- B Precipitation greater than a trace
- C Temperature greater than 85°F for 5 hours or more
- D Thunderstorms
- E Relative Humidity greater than 60% at noon LST
- F Wind greater than 15 Knots between 06 & 18 LST
- G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Battle Creek ANGB MI POR: Jan 68-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	25	22	18	5	#	0	0	0	0	1	13	25	109
B	4	4	6	7	6	7	6	6	5	6	6	6	69
C	0	0	0	0	1	2	4	2	1	1	0	0	11
D	#	1	2	3	4	5	5	5	3	1	1	1	31
E	22	18	16	10	9	9	9	9	11	13	19	24	169
F	17	14	18	19	16	14	10	8	10	13	15	15	169
G	20	16	20	20	17	15	11	9	11	14	17	18	188

Beale AFB CA POR: Jul 59-Feb 88

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	3	0	0	0	0	0	0	0	0	0	0	2	5
B	10	9	9	6	3	1	#	1	2	4	8	9	62
C	0	0	0	0	3	9	15	11	6	1	0	0	45
D	#	1	1	1	1	1	#	#	#	1	1	#	9
E	23	15	13	6	1	1	#	#	1	4	15	21	100
F	5	6	7	6	4	3	2	1	3	3	4	5	49
G	6	7	8	6	5	5	2	2	3	4	5	6	59

Bergstrom AFB TX POR: Oct 42-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	6	2	1	0	0	0	0	0	0	0	#	2	11
B	8	7	7	7	8	6	4	5	7	6	6	7	78
C	0	0	0	2	9	21	26	25	15	3	0	0	101
D	1	1	3	5	6	4	4	4	4	2	2	1	37
E	16	13	12	13	12	8	4	4	8	10	12	14	126
F	13	13	15	14	11	9	7	6	6	7	10	12	123
G	14	14	17	15	13	10	9	8	7	8	12	13	140

Birmingham AL POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	10	5	1	0	0	0	0	0	0	0	1	5	22
B	11	10	11	9	10	9	13	10	8	6	9	11	117
C	0	0	0	0	1	8	12	9	3	0	0	0	33
D	2	2	5	5	7	8	12	9	4	1	2	1	58
E	15	11	10	8	11	10	13	14	13	11	12	14	142
F	6	8	11	7	4	3	4	3	2	3	5	7	63
G	8	9	13	9	5	4	4	3	2	4	6	9	76

Bitburg AB, West Germany POR: Apr 52-Mar 88

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	24	21	13	4	#	0	0	0	0	2	13	22	99
B	18	13	14	13	14	13	12	13	12	12	16	16	166
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	#	1	4	5	5	4	2	#	#	#	22
E	29	24	23	15	15	14	15	17	22	27	28	29	258
F	10	8	11	9	8	6	7	6	6	6	8	9	94
G	12	9	12	10	9	6	7	6	7	7	10	12	107

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
  - B Precipitation greater than a trace
  - C Temperature greater than 85°F for 5 hours or more
  - D Thunderstorms
  - E Relative Humidity greater than 60% at noon LST
  - F Wind greater than 15 Knots between 06 & 18 LST
  - G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Blytheville AFB AR POR: Sep 42-Jun 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	13	9	3	0	0	0	0	0	0	0	2	9	36
B	10	9	11	11	11	8	8	7	7	6	8	10	106
C	0	0	0	0	2	8	13	10	3	0	0	0	36
D	2	2	4	7	8	8	9	7	4	2	2	1	56
E	14	11	10	8	8	7	8	9	9	6	10	14	114
F	7	7	10	10	7	5	2	2	3	4	6	7	70
G	9	9	11	11	8	5	3	2	3	4	7	8	80

Boise ID POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	21	14	5	1	0	0	0	0	0	6	9	22	78
B	12	11	10	8	8	6	2	3	4	6	10	12	92
C	0	0	0	0	0	3	10	8	1	0	0	0	22
D	0	#	1	1	3	3	3	3	2	1	#	#	17
E	20	12	7	4	3	2	#	9	2	4	12	19	94
F	7	9	14	15	14	11	7	6	7	8	8	9	115
G	9	12	16	16	15	13	9	9	9	10	10	12	140

Bradley CT POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	23	19	12	2	0	0	0	0	0	#	6	20	82
B	11	10	12	11	12	11	10	10	9	8	11	12	127
C	0	0	0	0	0	1	2	1	0	0	0	0	4
D	#	#	1	1	2	4	5	4	2	1	#	#	21
E	9	7	8	6	7	7	6	8	9	8	10	11	96
F	11	12	15	17	13	10	7	5	7	8	9	10	124
G	13	14	17	18	14	11	7	6	8	9	11	13	141

Buckley ANGB CO POR: Mar 44-Aug 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	10	7	7	3	1	0	0	0	#	2	5	9	44
B	5	5	8	7	10	8	9	9	6	4	5	5	81
C	0	0	0	0	0	4	8	5	2	0	0	0	19
D	0	#	#	2	8	11	13	10	4	1	#	0	49
E	4	3	4	3	3	2	1	1	2	2	3	4	32
F	5	4	7	8	8	6	6	4	4	3	4	4	63
G	6	5	8	10	9	8	8	6	5	5	5	6	81

Burlington IAP VT POR: Jan 48-May 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	24	21	18	5	#	0	0	0	0	2	12	21	103
B	14	11	13	12	13	13	12	13	12	11	14	15	153
C	0	0	0	0	0	#	1	#	0	0	0	0	1
D	#	0	#	1	2	6	7	6	2	1	#	#	26
E	16	13	11	9	8	8	7	9	11	11	14	17	134
F	9	8	10	10	9	7	5	5	7	8	9	9	96
G	12	10	12	12	10	8	6	5	8	10	11	13	117



# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

A Temperature less than or equal to 40°F at noon LST

B Precipitation greater than a trace

C Temperature greater than 85°F for 5 hours or more

D Thunderstorms

E Relative Humidity greater than 60% at noon LST

F Wind greater than 15 Knots between 06 & 18 LST

G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

Carswell AFB TX POR: Dec 42-Jul 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	9	5	2	#	0	0	0	0	0	0	1	5	22
B	7	6	6	8	8	6	5	5	6	5	5	5	72
C	0	0	0	1	7	21	26	26	15	3	0	0	99
D	1	2	4	6	8	6	5	5	4	3	1	1	46
E	12	10	10	10	12	7	4	3	7	9	9	11	104
F	13	13	18	17	14	11	6	6	7	10	12	13	140
G	15	14	19	18	16	13	8	7	9	11	13	15	158

Castle AFB CA POR: Jan 42-Mar 88

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	3	#	0	0	0	0	0	0	0	0	0	3	6
B	8	7	8	5	2	1	#	#	1	2	6	7	47
C	0	0	0	0	3	8	17	13	7	1	0	0	49
D	#	1	1	1	#	#	#	#	1	#	#	#	6
E	25	18	11	4	1	#	#	#	1	3	13	23	99
F	5	5	7	6	6	6	3	2	2	3	3	4	52
G	6	6	8	7	7	7	4	3	3	4	4	5	64

Charleston AFB SC POR: Jan 45-Sep 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	4	2	#	0	0	0	0	0	0	0	#	2	8
B	10	9	10	7	9	11	13	13	9	6	6	8	111
C	0	0	0	0	#	2	4	2	#	0	0	0	8
D	1	1	2	3	7	10	13	12	5	1	1	1	57
E	12	10	9	7	10	13	16	17	16	12	10	12	144
F	10	12	15	15	10	8	7	5	6	6	8	9	111
G	12	13	16	15	10	9	8	6	7	7	8	10	121

Charleston WV POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	20	14	9	1	0	0	0	0	0	#	6	15	65
B	16	14	15	14	13	11	13	11	9	10	12	14	152
C	0	0	0	0	0	2	3	1	#	0	0	0	6
D	1	1	2	4	7	8	10	7	3	1	1	#	45
E	17	12	11	7	9	10	14	16	13	11	12	16	148
F	7	6	9	8	5	4	3	2	1	3	5	6	59
G	9	7	10	9	5	5	4	2	2	3	7	9	72

Charlotte NC POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	12	8	2	0	0	0	0	0	0	0	1	7	30
B	10	10	11	9	10	10	11	10	7	7	8	10	113
C	0	0	0	0	0	3	8	5	1	0	0	0	17
D	1	1	2	3	6	8	10	7	3	1	1	#	43
E	11	8	9	7	10	11	13	14	11	10	10	11	125
F	6	7	11	10	6	3	2	3	3	3	5	6	65
G	7	8	12	11	7	4	3	4	3	4	5	7	75

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

A Temperature less than or equal to 40°F at noon LST

B Precipitation greater than a trace

C Temperature greater than 85°F for 5 hours or more

D Thunderstorms

E Relative Humidity greater than 60% at noon LST

F Wind greater than 15 Knots between 06 & 18 LST

G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

Cheyenne WY POR: Jan 48-Oct 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	19	15	15	7	2	#	0	0	1	4	11	17	91
B	6	6	9	9	11	10	11	9	7	6	6	5	95
C	0	0	0	0	0	1	3	2	#	0	0	0	6
D	0	#	#	2	8	11	13	10	4	1	#	0	49
E	6	5	8	6	6	4	2	2	3	4	5	5	56
F	23	22	23	23	23	20	18	18	18	19	20	23	250
G	25	23	25	25	24	22	20	20	20	21	22	25	272

Clark AB, Rep of the Philippines POR: Feb 45-Dec 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	0	0	0	0	0	0	0	0	0	0	0	0	0
B	3	2	4	5	13	17	21	24	21	14	9	6	139
C	0	0	1	4	8	4	2	1	1	#	0	0	21
D	#	#	1	5	12	11	13	9	11	5	1	#	68
E	5	3	2	3	8	18	25	27	25	20	13	9	158
F	4	4	5	5	6	5	4	4	3	2	2	3	47
G	4	4	5	5	6	5	4	4	3	2	3	3	48

Columbus AFB MS POR: Mar 42-Aug 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	7	4	1	0	0	0	0	0	0	0	1	4	17
B	11	10	11	9	9	9	10	9	8	6	9	10	111
C	0	0	0	0	3	8	11	9	2	0	0	0	33
D	2	2	6	6	8	9	13	10	5	2	2	2	67
E	10	8	7	6	7	6	7	8	7	6	7	9	88
F	3	3	5	3	2	1	1	1	1	1	2	3	26
G	4	4	6	4	2	1	2	1	1	2	3	4	34

Dallas NAS TX POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	10	5	1	0	0	0	0	0	0	0	1	5	22
B	7	7	7	8	9	6	5	5	6	6	5	6	77
C	0	0	0	0	6	20	25	26	13	2	0	0	92
D	1	2	4	6	7	5	5	5	4	2	2	1	44
E	12	10	10	11	10	6	3	4	8	11	11	12	108
F	8	10	14	12	9	7	4	3	5	6	8	9	95
G	10	11	17	14	11	9	5	4	6	7	10	11	115

Davis Monthan AFB AZ POR: Jul 41-Dec 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	1	#	#	0	0	0	0	0	0	0	#	#	2
B	4	4	4	2	1	2	10	8	4	3	3	4	49
C	0	0	0	3	15	24	24	23	20	9	0	0	118
D	#	#	1	1	1	3	15	14	5	2	#	#	42
E	4	2	2	#	#	#	1	1	1	1	1	3	16
F	6	6	7	9	9	9	8	5	6	6	5	5	81
G	7	6	8	9	9	10	11	8	7	6	6	6	93

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

A Temperature less than or equal to 40°F at noon LST

B Precipitation greater than a trace

C Temperature greater than 85°F for 5 hours or more

D Thunderstorms

E Relative Humidity greater than 60% at noon LST

F Wind greater than 15 Knots between 06 & 18 LST

G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

Des Moines IA POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	28	23	15	3	0	0	0	0	0	1	14	27	111
B	8	7	10	11	11	11	9	9	9	8	7	8	108
C	0	0	0	0	1	4	10	7	2	0	0	0	24
D	#	#	2	4	7	10	8	7	5	3	1	#	47
E	19	16	14	11	10	10	10	11	12	11	16	23	163
F	14	13	18	19	16	14	8	7	9	13	13	14	158
G	18	15	20	21	16	15	10	8	10	14	15	16	178

Dobbins AFB GA POR: Sep 46-Dec 83

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	11	7	3	0	0	0	0	0	0	0	2	6	29
B	11	10	12	9	9	10	12	9	8	6	8	10	114
C	0	0	0	0	1	5	9	6	1	0	0	0	22
D	1	1	3	4	6	8	11	8	3	1	1	1	48
E	16	12	12	10	10	11	14	14	15	12	12	14	152
F	9	9	11	9	5	4	3	3	4	5	6	7	75
G	11	10	12	9	5	4	3	3	4	5	7	8	81

Dover AFB DE POR: Dec 42-Aug 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	19	14	7	1	0	0	0	0	0	#	3	13	57
B	11	9	11	10	11	9	9	8	8	8	9	10	113
C	0	0	0	0	0	1	3	1	0	0	0	0	5
D	#	#	1	3	4	5	7	6	2	1	#	#	29
E	12	11	10	9	11	12	13	14	13	11	12	13	141
F	11	11	13	12	8	6	4	4	5	7	9	10	100
G	13	13	15	13	9	6	5	4	6	8	10	12	114

Duluth ANG Base MN POR: Jan 48-Jun 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	25	22	23	11	2	0	0	0	#	6	19	24	132
B	12	10	11	11	12	12	12	12	11	9	11	12	135
C	0	0	0	0	#	#	1	1	#	0	0	0	2
D	#	#	1	2	4	7	8	7	4	1	#	#	35
E	20	17	16	10	9	11	12	14	13	13	18	20	173
F	12	10	14	15	15	13	11	9	11	13	12	12	147
G	15	13	16	17	17	14	11	10	13	15	14	15	170

Dyess AFB TX POR: Dec 43-Aug 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	7	4	2	0	0	0	0	0	0	0	1	5	19
B	5	5	5	6	8	5	5	5	6	5	5	5	65
C	0	0	0	2	6	14	18	18	10	2	0	0	70
D	1	1	3	5	8	6	5	6	4	3	1	1	44
E	7	7	5	4	6	3	3	2	5	6	6	7	61
F	7	7	11	11	9	7	4	3	4	4	6	7	80
G	8	8	13	12	11	8	5	4	4	5	7	8	93

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
  - B Precipitation greater than a trace
  - C Temperature greater than 85°F for 5 hours or more
  - D Thunderstorms
  - E Relative Humidity greater than 60% at noon LST
  - F Wind greater than 15 Knots between 06 & 18 LST
  - G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Edwards AFB CA POR: Dec 41-Nov 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	2	#	#	0	0	0	0	0	0	0	#	2	4
B	#	#	#	#	#	#	#	2	1	#	#	#	5
C	0	0	0	1	5	17	29	26	15	2	0	0	101
D	#	#	#	#	#	#	#	2	1	#	#	#	5
E	6	4	2	1	#	#	#	#	#	1	3	5	22
F	9	11	18	20	24	24	24	22	14	11	9	8	194
G	10	12	19	21	24	24	25	22	15	12	10	9	203

Eglin AFB FL POR: Sep 38-May 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	3	1	#	0	0	0	0	0	0	0	#	1	5
B	9	9	9	6	6	10	14	13	9	5	7	9	106
C	0	0	0	0	1	7	12	11	4	0	0	0	35
D	2	3	4	4	6	11	18	17	8	3	2	2	80
E	17	14	16	15	15	16	20	18	16	12	14	16	189
F	7	7	9	8	7	5	5	4	4	4	5	6	71
G	8	8	10	9	8	6	6	4	4	4	6	7	80

Eielson AFB AK POR: Nov 44-Jul 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	28	25	27	17	2	0	0	0	4	23	27	28	181
B	7	7	7	6	6	11	13	13	11	11	10	9	111
C	0	0	0	0	0	#	#	0	0	0	0	0	#
D	0	0	0	#	#	3	4	1	#	0	0	0	8
E	18	17	13	7	4	6	9	11	12	22	21	19	159
F	1	1	1	2	3	3	1	1	1	1	1	1	17
G	1	2	2	2	3	3	2	1	2	1	1	1	21

Ellington AFB TX POR: Jul 41-Apr 88

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	3	1	0	0	0	0	0	0	0	0	#	1	5
B	10	8	8	7	8	7	9	10	9	7	8	9	100
C	0	0	0	0	2	14	20	19	6	#	0	0	61
D	2	2	3	4	6	7	11	12	8	4	3	2	64
E	17	15	14	14	14	11	11	11	14	11	13	16	161
F	10	11	13	12	9	7	4	4	5	7	9	9	100
G	11	12	14	13	10	7	5	5	5	7	10	10	109

Ellsworth AFB SD POR: Feb 39-Sep 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	21	18	16	16	1	#	0	0	1	3	12	19	97
B	6	6	8	8	11	11	8	7	5	5	5	6	86
C	0	0	0	0	#	2	9	9	3	0	0	0	23
D	0	0	#	1	5	10	11	8	3	#	#	#	39
E	12	12	12	8	8	7	3	3	4	5	8	12	94
F	15	14	18	20	19	16	15	15	16	15	15	15	193
G	18	17	20	21	21	18	17	18	18	18	17	18	221

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
- B Precipitation greater than a trace
- C Temperature greater than 85°F for 5 hours or more
- D Thunderstorms
- E Relative Humidity greater than 60% at noon LST
- F Wind greater than 15 Knots between 06 & 18 LST
- G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

Elmendorf AFB AK POR: Mar 41-Jul 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	29	26	28	15	1	0	0	0	1	17	27	29	173
B	8	8	7	6	6	8	12	13	14	11	8	10	111
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	0	0	#	#	#	#	#	#	#	0	0	2
E	25	20	15	11	8	11	17	19	19	21	24	25	215
F	3	4	3	3	4	3	2	2	2	3	3	3	35
G	5	5	5	4	5	4	3	2	3	4	4	4	48

England AFB LA POR: Sep 43-Mar 84

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	5	2	#	0	0	0	0	0	0	0	#	2	9
B	10	8	10	8	9	8	11	9	8	5	8	9	103
C	0	0	0	0	4	15	15	15	7	#	0	0	56
D	2	3	5	5	7	8	13	11	6	3	3	3	69
E	14	11	11	10	9	7	9	9	9	7	9	13	118
F	4	5	6	4	3	1	2	2	2	2	4	3	38
G	5	6	7	5	3	2	2	2	2	2	4	4	44

Fairchild AFB WA POR: Apr 40-Dec 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	27	20	12	2	#	0	0	0	0	2	17	26	106
B	13	11	10	8	8	7	4	4	5	8	12	14	104
C	0	0	0	0	0	1	5	3	#	0	0	0	9
D	0	#	#	1	1	3	2	3	1	#	#	0	12
E	27	22	15	7	6	4	2	2	4	12	24	28	153
F	7	7	9	10	9	7	6	5	6	6	6	6	82
G	9	8	10	11	10	8	7	6	7	7	7	9	99

Fargo ND POR: Jan 48-May 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	25	22	21	7	1	0	0	0	#	4	17	24	121
B	9	7	7	9	10	10	9	9	8	6	5	8	97
C	0	0	0	0	1	2	5	4	1	0	0	0	13
D	0	#	#	1	4	8	8	6	3	1	#	#	32
E	20	19	19	10	7	8	7	7	9	10	16	20	152
F	15	12	15	17	17	14	12	13	14	15	14	13	171
G	18	15	18	18	18	16	14	14	15	17	16	16	195

Fort Smith AR POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	16	10	3	0	0	0	0	0	0	0	2	10	41
B	8	8	9	10	11	9	8	8	7	7	7	8	100
C	0	0	0	0	1	12	20	18	8	#	0	0	59
D	1	2	7	7	10	9	8	8	5	4	3	2	66
E	14	11	10	9	11	11	7	9	9	9	11	14	125
F	6	7	11	10	5	2	2	2	2	4	6	7	64
G	7	8	13	11	7	4	2	2	3	5	7	8	77

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

A Temperature less than or equal to 40°F at noon LST

B Precipitation greater than a trace

C Temperature greater than 85°F for 5 hours or more

D Thunderstorms

E Relative Humidity greater than 60% at noon LST

F Wind greater than 15 Knots between 06 & 18 LST

G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

Fort Wayne IN POR: Jan 48-May 87													
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	23	18	14	3	0	0	0	0	0	#	9	20	87
B	12	10	13	13	11	11	10	9	9	9	11	13	131
C	0	0	0	0	#	2	3	1	#	0	0	0	6
D	#	1	3	4	5	7	7	6	4	1	1	#	39
E	20	17	15	10	9	8	8	10	8	9	15	20	149
F	12	10	15	15	12	9	7	6	7	9	11	11	124
G	14	12	16	16	13	10	7	6	7	10	12	14	137

Fresno CA POR: Jan 50-Aug 80													
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	2	0	0	0	0	0	0	0	0	0	0	2	4
B	8	7	6	4	2	1	#	#	1	2	5	7	43
C	0	0	0	0	2	8	17	13	7	1	0	0	48
D	#	#	1	1	1	#	#	#	1	#	#	#	6
E	17	11	6	2	1	#	#	#	1	2	10	16	66
F	2	2	4	4	4	3	1	1	1	1	1	1	25
G	2	3	5	5	6	5	2	1	1	2	1	2	35

George AFB. CA POR: Jan 42-Oct 85													
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	1	1	#	0	0	0	0	0	0	0	#	1	3
B	4	3	3	2	1	#	1	1	1	1	2	3	22
C	0	0	0	0	4	12	23	21	13	2	0	0	75
D	#	#	#	#	1	4	2	3	1	#	#	#	12
E	4	3	2	1	#	#	#	#	#	1	2	3	17
F	7	9	14	15	17	17	16	14	11	8	7	7	142
G	8	10	15	16	18	17	17	15	11	8	8	7	150

Grand Forks AFB ND POR: May 59-Jul 87													
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	28	25	24	9	1	0	0	0	#	6	23	29	145
B	8	7	7	8	10	11	10	9	8	7	6	7	98
C	0	0	0	0	1	2	4	4	1	0	0	0	12
D	0	0	#	1	4	7	10	7	3	1	0	#	33
E	19	20	22	12	8	9	9	8	10	12	20	22	171
F	13	12	13	15	15	13	9	10	12	14	12	13	151
G	16	14	15	16	16	14	11	11	14	16	14	16	173

Greater Pittsburg IAP PA POR: Jan 66-Dec 86													
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	24	19	14	3	0	0	0	0	0	1	10	20	91
B	17	14	16	13	12	11	11	10	9	10	13	17	153
C	0	0	0	0	0	1	1	1	0	0	0	0	3
D	#	#	2	4	5	7	7	6	3	1	1	#	36
E	18	13	12	8	9	8	9	12	10	11	15	18	143
F	13	11	15	15	10	7	6	4	6	9	10	12	118
G	15	13	17	16	11	9	7	5	7	9	13	15	137

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

A Temperature less than or equal to 40°F at noon LST

B Precipitation greater than a trace

C Temperature greater than 85°F for 5 hours or more

D Thunderstorms

E Relative Humidity greater than 60% at noon LST

F Wind greater than 15 Knots between 06 & 18 LST

G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

Great Falls MT POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	21	16	15	7	2	0	0	0	2	4	13	22	102
B	9	8	9	9	11	12	7	8	7	6	7	8	101
C	0	0	0	0	0	1	5	5	1	0	0	0	12
D	0	#	#	1	3	7	7	6	1	#	0	0	25
E	13	11	10	6	6	4	2	3	5	6	9	13	88
F	19	17	19	20	19	16	14	15	16	20	19	22	206
G	22	20	21	22	21	18	17	17	18	21	21	24	242

Griffiss AFB NY POR: Jul 42-Feb 88

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	29	26	21	6	#	0	0	0	0	1	13	27	123
B	19	16	16	14	13	12	11	11	11	12	17	19	171
C	0	0	0	0	0	#	1	#	0	0	0	0	1
D	#	#	1	2	4	7	8	7	3	1	1	#	34
E	22	18	17	12	12	12	11	14	15	15	21	24	193
F	9	10	12	12	9	5	4	3	5	6	7	8	90
G	12	11	13	13	9	6	4	4	5	6	9	10	102

Grisson AFB IN POR: Dec 55-Jul 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	26	22	15	3	0	0	0	0	0	1	10	23	100
B	12	10	13	12	12	10	9	9	8	8	10	12	125
C	0	0	0	0	0	3	5	3	1	0	0	0	12
D	1	1	3	5	6	8	8	7	4	2	1	1	47
E	23	19	17	12	11	10	12	13	10	11	18	24	180
F	11	10	13	14	10	7	4	3	4	7	9	10	102
G	14	12	15	15	11	8	5	3	5	8	11	13	120

Hahn AB, West Germany POR: Jul 53-Nov 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	24	21	15	6	1	0	0	0	0	2	15	22	106
B	19	14	15	14	15	13	13	13	11	13	16	17	173
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	1	1	4	5	5	4	1	1	#	#	23
E	28	23	23	17	16	16	17	19	21	27	28	28	263
F	9	7	8	6	4	3	4	4	5	5	7	9	71
G	12	9	9	6	5	3	4	4	5	6	9	12	84

Hickam AFB HI POR: Jun 39-Dec 83

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	0	0	0	0	0	0	0	0	0	0	0	0	0
B	10	9	9	9	7	6	8	6	7	9	9	10	99
C	0	0	0	0	0	#	#	1	1	#	0	0	2
D	1	1	1	1	#	#	#	0	#	1	1	1	8
E	15	12	10	9	7	6	6	5	6	9	12	14	111
F	14	16	20	22	23	25	28	27	23	21	18	17	254
G	15	17	21	22	23	25	28	27	23	22	19	18	260

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

A Temperature less than or equal to 40°F at noon LST

B Precipitation greater than a trace

C Temperature greater than 85°F for 5 hours or more

D Thunderstorms

E Relative Humidity greater than 60% at noon LST

F Wind greater than 15 Knots between 06 & 18 LST

G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

Hill AFB UT POR: Oct 41-Nov 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	26	20	13	4	1	#	0	0	#	2	13	25	104
B	11	8	10	9	8	5	3	4	5	6	8	11	88
C	0	0	0	0	0	3	13	9	1	0	0	0	26
D	#	1	1	2	5	4	5	6	4	2	1	#	31
E	20	14	10	5	4	2	1	1	2	4	11	18	92
F	9	10	12	12	13	12	13	13	13	12	9	9	137
G	11	12	15	15	16	16	18	18	16	15	12	11	175

Holloman AFB NM POR: Sep 42-Aug 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	5	2	1	#	0	0	0	0	0	#	1	4	13
B	4	3	2	2	2	3	7	7	5	4	2	3	44
C	0	0	0	1	7	21	21	18	9	#	0	0	77
D	#	#	1	1	3	7	13	11	5	2	#	#	44
E	5	3	1	1	#	#	1	1	3	3	3	5	26
F	6	6	11	12	12	10	7	6	5	4	4	5	88
G	6	7	12	13	13	13	11	9	6	5	5	5	105

Homestead AFB FL POR: Feb 43-Mar 84

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	0	0	0	0	0	0	0	0	0	0	0	0	0
B	7	6	5	5	10	15	15	16	18	13	8	6	124
C	0	0	0	0	0	1	3	3	1	0	0	0	8
D	1	1	2	2	8	14	15	16	14	5	1	1	80
E	12	10	11	10	13	17	17	18	17	14	12	11	162
F	4	5	7	7	5	3	1	2	3	4	4	4	49
G	5	5	7	7	5	3	2	2	3	4	5	4	52

Howard AFB, Panama POR: Oct 41-Mar 84

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	0	0	0	0	0	0	0	0	0	0	0	0	0
B	6	2	2	8	18	19	18	19	18	22	20	14	166
C	#	1	1	2	1	1	1	#	0	0	#	#	7
D	1	1	1	5	16	18	18	18	17	17	13	5	130
E	10	5	3	7	16	18	18	18	19	19	18	16	167
F	6	8	8	5	2	1	1	2	1	2	1	2	39
G	7	8	8	6	2	1	2	2	1	2	2	2	43

Hurlburt Field FL POR: Jul 55-May 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	3	1	#	0	0	0	0	0	0	0	#	1	5
B	10	9	9	6	7	10	12	13	9	6	7	9	107
C	0	0	0	0	0	5	11	10	3	0	0	0	29
D	2	3	4	4	5	10	16	15	7	2	2	2	72
E	16	14	16	17	18	19	22	22	18	13	14	16	205
F	5	6	6	5	3	2	1	1	2	2	3	4	40
G	7	7	6	5	3	2	1	2	3	3	4	5	48



# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
  - B Precipitation greater than a trace
  - C Temperature greater than 85°F for 5 hours or more
  - D Thunderstorms
  - E Relative Humidity greater than 60% at noon LST
  - F Wind greater than 15 Knots between 06 & 18 LST
  - G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Incirlik AB, Turkey POR: Apr 55-Apr 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	#	#	0	0	0	0	0	0	0	0	0	0	#
B	10	9	9	7	6	2	1	1	2	4	5	10	66
C	0	0	0	0	0	0	#	#	0	0	0	0	#
D	3	3	4	4	6	3	1	1	2	4	3	3	37
E	10	9	10	8	6	3	3	3	2	3	5	9	71
F	8	7	8	7	5	7	8	8	6	5	5	6	80
G	9	9	9	8	6	7	8	8	6	5	5	7	87

Jackson MS POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	9	5	#	0	0	0	0	0	0	0	#	4	18
B	11	9	10	9	9	8	10	10	8	6	9	10	109
C	0	0	0	0	3	14	16	15	5	0	0	0	53
D	2	3	6	6	7	8	13	11	5	2	2	3	68
E	17	12	12	10	11	9	12	13	13	10	13	16	148
F	8	9	12	9	6	4	4	4	4	5	6	9	80
G	10	10	14	11	7	4	5	4	4	6	8	11	94

Jacksonville FL POR: Jan 48-Apr 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	1	#	#	0	0	0	0	0	0	0	#	#	2
B	8	8	8	6	9	12	14	14	13	9	6	8	115
C	0	0	0	0	1	4	6	4	1	0	0	0	16
D	1	1	3	3	7	10	15	12	7	2	1	1	63
E	11	9	7	5	6	9	10	12	14	12	10	13	118
F	8	10	12	12	9	8	7	7	8	9	7	8	105
G	9	11	13	12	9	9	8	7	9	10	8	8	113

Kadena AB Okinawa, Japan POR: Jan 46-Nov 83

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	0	0	0	0	0	0	0	0	0	0	0	0	0
B	15	14	15	13	16	15	12	16	13	12	12	14	167
C	0	0	0	0	#	4	14	11	5	#	0	0	34
D	#	#	1	2	3	3	3	3	2	1	1	#	19
E	17	18	21	22	26	27	28	27	25	19	18	17	265
F	12	11	12	11	11	12	11	11	9	13	14	12	139
G	13	13	13	12	12	13	12	12	9	14	15	13	151

Kapaun AS, West Germany POR: Mar 53-Feb 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	21	18	8	2	0	0	0	0	0	1	11	20	81
B	15	13	13	13	13	12	12	12	11	12	14	15	155
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	1	1	4	6	5	4	2	1	#	#	25
E	27	22	19	12	11	11	11	13	17	25	26	27	221
F	6	5	6	5	5	4	4	3	4	3	5	6	56
G	8	6	7	5	5	4	5	4	5	4	6	7	66

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

A Temperature less than or equal to 40°F at noon LST

B Precipitation greater than a trace

C Temperature greater than 85°F for 5 hours or more

D Thunderstorms

E Relative Humidity greater than 60% at noon LST

F Wind greater than 15 Knots between 06 & 18 LST

G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

Keesler AFB MS POR: May 45-Aug 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	2	1	#	0	0	0	0	0	0	0	0	1	4
B	10	9	10	7	7	9	13	12	10	6	7	10	110
C	0	0	0	0	1	12	15	15	4	0	0	0	47
D	2	2	5	4	6	9	15	14	7	2	2	2	70
E	19	15	18	16	17	18	21	19	17	13	15	17	205
F	6	6	7	6	4	3	4	3	3	3	4	5	54
G	8	8	9	7	5	4	4	3	4	4	6	7	69

Keflavik NS, Iceland POR: Sep 51-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	26	23	22	15	5	#	0	0	1	11	22	26	151
B	19	18	19	19	16	17	15	17	19	22	19	20	220
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	0	#	0	0	0	#	0	0	#	#	1
E	28	26	27	25	24	25	27	27	27	29	28	29	322
F	22	20	22	21	18	16	16	16	19	21	22	23	236
G	25	22	25	23	20	18	17	18	21	23	25	26	263

Kelly AFB TX POR: Jul 37-Jan 88

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	3	1	#	0	0	0	0	0	0	0	#	1	5
B	7	7	6	7	8	5	4	5	6	6	5	7	73
C	0	0	#	3	10	21	26	25	16	4	0	0	105
D	1	1	2	4	6	5	3	5	4	3	1	1	36
E	14	13	12	12	12	8	4	3	8	10	12	14	122
F	8	8	11	10	8	8	6	5	5	5	7	6	87
G	10	10	13	12	11	10	9	8	6	7	9	8	113

Kingsley Field OR POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	23	16	11	4	1	0	0	0	0	1	11	23	90
B	11	9	10	7	6	5	2	3	2	6	10	11	82
C	0	0	0	0	0	0	2	1	0	0	0	0	3
D	0	0	#	1	2	3	2	3	1	#	#	#	13
E	23	19	12	5	3	2	#	1	2	7	18	23	115
F	8	10	14	16	15	12	9	9	8	7	8	8	124
G	10	11	15	16	16	14	10	9	9	8	9	10	137

Kirtland AFB NM POR: Jul 41-Jun 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	12	7	3	#	0	0	0	0	0	#	3	11	36
B	4	4	4	3	4	4	8	9	5	4	3	4	56
C	0	0	0	0	1	12	16	11	3	0	0	0	43
D	#	#	1	1	4	5	10	10	5	2	1	#	39
E	5	3	2	1	1	#	#	1	2	2	2	5	24
F	8	10	16	18	19	16	15	12	11	10	8	8	151
G	11	12	18	21	21	21	20	17	14	12	11	10	188

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
  - B Precipitation greater than a trace
  - C Temperature greater than 85°F for 5 hours or more
  - D Thunderstorms
  - E Relative Humidity greater than 60% at noon LST
  - F Wind greater than 15 Knots between 06 & 18 LST
  - G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

K.I. Sawyer AFB MI POR: Oct 56-Nov 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	26	24	23	12	3	0	0	0	0	7	22	27	144
B	17	14	13	11	12	12	10	11	13	13	14	17	157
C	0	0	0	0	#	#	1	#	#	0	0	0	2
D	#	#	1	1	3	6	7	6	4	2	#	#	31
E	20	17	16	12	10	10	11	14	17	19	24	24	194
F	9	8	10	11	10	8	6	7	8	11	9	9	106
G	12	10	11	12	11	9	6	7	9	12	11	11	121

Knoxville TN POR: Jan 48-Sep 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	13	8	3	#	0	0	0	0	0	0	2	10	36
B	13	11	13	11	11	10	11	10	9	8	10	11	128
C	0	0	0	0	1	4	8	5	1	0	0	0	19
D	1	1	3	4	6	8	9	7	3	1	1	1	45
E	15	11	10	7	10	11	13	13	10	9	11	14	134
F	8	8	10	10	7	5	4	4	3	4	6	6	75
G	9	9	12	11	8	6	5	4	4	4	7	7	86

Kwangju AB, Rep of Korea POR: Dec 53-Nov 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	17	11	3	0	0	0	0	0	0	0	1	9	41
B	12	10	8	11	9	11	16	12	11	7	10	10	127
C	0	0	0	0	0	0	2	2	#	0	0	0	4
D	0	#	#	1	#	1	2	4	2	1	#	0	12
E	16	12	9	8	9	11	17	17	14	10	13	15	151
F	3	3	5	5	3	2	2	2	2	2	3	2	34
G	4	4	6	5	3	2	3	2	2	2	3	3	39

Lajes Field, Azores POR: Jan 47 - Nov 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	0	0	0	0	0	0	0	0	0	0	0	0	0
B	20	18	18	14	13	11	11	11	14	17	18	18	183
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	1	1	1	#	#	#	#	#	#	1	1	1	7
E	28	24	27	26	26	26	28	27	25	26	26	27	316
F	17	15	17	14	13	9	5	5	8	12	14	15	144
G	19	18	19	15	14	10	6	6	10	14	16	17	166

Langley AFB VA POR: Oct 36-Aug 85

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	13	10	4	0	0	0	0	0	0	0	1	8	36
B	10	9	10	9	10	9	11	9	7	8	8	9	109
C	0	0	0	0	0	3	5	4	1	0	0	0	13
D	#	1	2	3	5	6	9	7	3	1	1	#	38
E	14	12	12	9	12	13	15	17	15	14	12	15	160
F	13	13	16	15	11	9	7	7	8	11	11	12	133
G	15	15	18	16	13	10	9	9	10	12	13	14	154

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

A Temperature less than or equal to 40°F at noon LST

B Precipitation greater than a trace

C Temperature greater than 85°F for 5 hours or more

D Thunderstorms

E Relative Humidity greater than 60% at noon LST

F Wind greater than 15 Knots between 06 & 18 LST

G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

Laughlin AFB TX POR: Feb 43-Jan 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	2	1	#	0	0	0	0	0	0	0	#	1	4
B	6	4	4	5	7	5	4	5	5	5	4	5	59
C	0	0	#	3	8	17	21	21	14	3	0	0	87
D	#	#	1	4	6	3	3	3	3	2	#	#	26
E	10	9	8	8	9	7	4	4	7	10	10	9	95
F	5	7	9	9	8	8	7	5	5	5	4	4	76
G	6	7	11	11	11	11	9	7	6	5	5	5	94

Lincoln NE POR: Mar 67-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	24	18	13	3	0	0	0	0	0	1	11	24	94
B	7	7	8	9	10	11	10	9	9	6	5	6	97
C	0	0	0	0	#	7	14	10	3	1	0	0	35
D	#	#	1	4	8	10	8	10	5	2	1	#	49
E	17	15	14	10	11	9	7	9	10	10	14	18	144
F	14	13	19	21	19	15	12	11	13	17	15	15	184
G	18	15	21	22	20	17	15	13	15	18	17	18	209

Little Rock AFB AR POR: Jan 56-Nov 84

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	14	9	3	0	0	0	0	0	0	0	2	9	37
B	9	8	10	11	10	8	8	7	7	6	8	9	101
C	0	0	0	#	3	13	20	17	7	#	0	0	60
D	2	3	5	7	8	8	9	7	4	3	3	2	61
E	15	11	11	10	12	10	11	10	11	9	12	14	136
F	9	5	8	7	3	2	2	1	1	1	3	3	45
G	5	6	9	8	4	3	2	1	2	2	4	4	50

Loring AFB ME POR: Aug 50-Jul 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	28	26	25	12	1	0	0	0	0	6	21	28	147
B	15	13	13	12	13	13	14	13	12	13	15	16	162
C	0	0	0	0	0	0	#	#	0	0	0	0	#
D	#	0	#	#	2	4	6	4	1	#	0	0	18
E	19	15	14	12	10	12	12	13	13	15	21	23	179
F	9	8	10	8	8	6	5	4	6	7	7	8	86
G	11	10	12	9	8	6	6	4	7	8	8	10	99

Louisville KY POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	20	14	8	1	0	0	0	0	0	0	5	16	64
B	11	11	13	12	12	10	11	9	8	8	10	11	126
C	0	0	0	0	0	4	9	6	2	0	0	0	21
D	1	1	3	4	7	7	8	7	3	2	1	1	45
E	17	14	13	9	10	11	12	14	13	12	15	18	158
F	8	9	13	12	8	7	4	3	4	5	7	10	90
G	11	11	16	14	10	8	5	4	5	6	10	12	112

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
  - B Precipitation greater than a trace
  - C Temperature greater than 85°F for 5 hours or more
  - D Thunderstorms
  - E Relative Humidity greater than 60% at noon LST
  - F Wind greater than 15 Knots between 06 & 18 LST
  - G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Luke AFB AZ POR: Dec 41-May 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	#	0	0	0	0	0	0	0	0	0	0	#	#
B	3	4	4	2	1	#	4	4	2	2	3	3	32
C	0	0	0	5	17	24	27	26	23	10	0	0	132
D	#	1	1	#	1	1	6	8	3	1	1	#	23
E	4	3	2	#	#	#	#	1	1	1	2	4	19
F	2	3	6	7	7	5	5	3	3	2	2	2	47
G	3	4	7	8	8	7	8	7	4	2	2	2	62

MacDill AFB FL POR: May 41-Feb 88

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	#	#	0	0	0	0	0	0	0	0	0	#	#
B	6	6	7	5	6	11	16	16	12	6	5	6	102
C	0	0	0	0	1	7	7	7	3	0	0	0	25
D	1	2	2	3	5	13	20	20	12	3	1	1	83
E	16	13	13	8	8	13	17	18	17	13	13	16	165
F	7	7	10	8	7	6	5	5	5	6	5	5	76
G	8	8	11	9	8	7	5	6	6	6	6	7	87

Madison/Truax WI POR: Feb 48-Aug 85

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	23	21	17	5	#	0	0	0	0	1	13	22	102
B	10	8	11	11	11	11	9	9	9	9	9	10	117
C	0	0	0	0	0	2	4	2	#	0	0	0	8
D	#	#	2	4	5	7	7	7	5	2	1	#	40
E	18	15	15	9	9	9	9	11	10	10	16	19	150
F	10	10	13	15	13	11	8	7	9	10	11	10	127
G	12	11	15	16	15	12	9	8	10	12	13	13	146

Malmstrom AFB MT POR: Dec 42-May 88

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	23	18	16	7	1	0	0	0	1	4	13	21	104
B	8	7	8	8	10	11	7	7	7	6	6	7	92
C	0	0	0	0	0	1	5	5	1	0	0	0	12
D	0	#	#	1	3	6	7	6	1	#	0	#	25
E	15	12	12	7	6	5	2	3	5	6	10	14	97
F	17	15	16	16	15	13	11	11	12	15	16	18	175
G	19	17	18	18	17	15	14	13	14	17	18	20	200

Mansfield OH POR: Jan 49-Dec 81

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	12	10	8	2	0	0	0	0	0	1	6	11	50
B	14	12	15	14	12	11	10	10	9	9	13	14	143
C	0	0	0	0	0	#	1	#	#	0	0	0	1
D	#	1	2	4	5	7	7	6	3	1	1	#	37
E	12	10	9	6	6	6	6	7	7	6	9	11	95
F	8	7	9	8	6	5	4	3	4	6	7	7	74
G	10	9	10	9	7	6	4	3	5	6	8	9	86

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

A Temperature less than or equal to 40°F at noon LST

B Precipitation greater than a trace

C Temperature greater than 85°F for 5 hours or more

D Thunderstorms

E Relative Humidity greater than 60% at noon LST

F Wind greater than 15 Knots between 06 & 18 LST

G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

March AFB CA POR: Jan 33-Aug 84

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	#	0	0	0	0	0	0	0	0	0	0	0	#
B	6	5	6	4	1	1	#	1	1	2	3	5	35
C	0	0	0	1	3	8	20	19	14	5	#	0	70
D	#	#	1	#	#	#	1	1	1	1	#	#	6
E	7	7	7	5	4	2	#	1	2	4	4	6	50
F	5	6	7	9	9	10	10	10	7	5	4	4	86
G	6	6	7	9	9	10	10	10	7	5	4	5	88

Martinsburg WV POR: Jan 68-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	21	16	8	1	0	0	0	0	0	#	4	15	65
B	6	5	7	7	7	7	6	6	5	5	5	5	71
C	0	0	0	0	0	1	4	2	1	1	0	0	9
D	#	#	1	2	4	6	6	6	2	1	#	#	29
E	10	7	8	6	9	10	11	10	8	10	10	10	109
F	9	9	12	11	7	4	2	3	4	6	7	9	82
G	12	11	14	13	8	5	3	3	4	6	9	11	99

Mather AFB CA POR: Sep 41-Mar 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	2	#	0	0	0	0	0	0	0	0	0	2	4
B	10	8	8	6	3	1	#	#	1	2	7	9	56
C	0	0	0	0	2	6	11	8	6	1	0	0	34
D	#	1	1	1	1	#	#	#	#	#	#	#	6
E	23	16	12	5	2	1	#	#	1	4	14	22	100
F	6	6	7	6	7	6	4	3	3	4	4	5	61
G	8	8	8	7	8	7	4	3	3	4	5	6	71

Maxwell AFB AL POR: Jan 37-Feb 85

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	4	2	#	0	0	0	0	0	0	0	#	2	8
B	11	9	10	8	9	9	12	9	8	5	8	10	108
C	0	0	0	0	6	14	15	14	7	0	0	0	56
D	1	1	4	4	7	8	12	9	4	1	1	1	53
E	13	10	9	7	6	7	10	9	8	7	9	12	107
F	5	6	7	5	3	3	3	2	2	2	4	4	46
G	6	6	8	6	3	3	3	2	3	2	4	5	51

McChord AFB WA POR: Jul 40-Jun 85

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	13	4	1	0	0	0	0	0	0	0	3	9	30
B	19	16	17	14	11	9	5	6	9	14	18	20	158
C	0	0	0	0	0	#	#	#	0	0	0	0	#
D	#	#	#	1	1	1	1	1	1	#	#	#	7
E	26	21	17	14	13	13	10	13	15	22	25	27	216
F	5	5	6	6	4	3	2	2	3	3	4	5	48
G	7	7	7	7	5	3	2	2	3	4	6	7	60

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
- B Precipitation greater than a trace
- C Temperature greater than 85°F for 5 hours or more
- D Thunderstorms
- E Relative Humidity greater than 60% at noon LST
- F Wind greater than 15 Knots between 06 & 18 LST
- G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

McClellan AFB CA POR: Nov 39-Oct 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	2	#	0	0	0	0	0	0	0	0	0	2	4
B	10	9	8	6	3	1	#	#	1	3	7	9	57
C	0	0	0	0	2	7	13	9	6	1	0	0	38
D	#	#	1	1	#	#	#	#	#	#	#	#	4
E	23	17	11	5	2	1	#	#	1	4	13	22	99
F	6	7	8	6	6	6	4	3	3	4	5	6	64
G	8	8	9	7	7	7	5	4	4	5	6	7	77

McConnell AFB KS POR: Dec 53-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	19	14	7	1	0	0	0	0	0	#	6	16	63
B	6	5	7	8	10	9	8	7	8	6	5	6	85
C	0	0	0	0	2	10	20	18	7	1	0	0	58
D	#	1	3	5	9	9	8	7	6	3	1	#	52
E	15	12	11	9	11	9	6	7	10	9	10	14	123
F	13	13	18	18	15	14	12	11	12	14	13	15	168
G	16	15	19	19	16	15	14	13	13	15	15	17	187

McEntire ANGB SC POR: Feb 59-Jun 84

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	6	4	1	0	0	0	0	0	0	0	#	3	14
B	11	10	11	7	11	10	12	11	8	6	6	10	113
C	0	0	0	0	1	3	6	4	#	0	0	0	14
D	1	1	3	3	6	9	12	10	4	1	1	#	51
E	9	7	8	6	7	9	10	11	11	7	7	9	101
F	2	2	4	3	1	1	1	#	1	1	2	2	20
G	2	3	4	3	1	1	1	1	1	1	2	2	22

McGuire AFB NJ POR: Aug 42-Jul 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	21	17	9	1	0	0	0	0	0	#	3	16	67
B	11	9	11	11	11	10	9	9	8	7	10	10	116
C	0	0	0	0	0	1	3	1	0	0	0	0	5
D	#	#	1	2	4	5	6	6	2	1	1	#	28
E	14	11	11	8	9	9	11	11	11	10	11	16	132
F	10	10	12	11	6	4	2	2	3	6	8	9	83
G	12	12	14	12	7	4	2	2	4	6	9	11	95

Memphis IAP TN POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	14	9	2	0	0	0	0	0	0	0	2	8	35
B	10	9	11	10	9	8	9	8	7	6	9	10	106
C	0	0	0	0	2	14	18	16	6	0	0	0	56
D	2	2	5	7	7	7	8	6	3	2	2	2	53
E	14	11	11	10	11	9	11	11	12	9	11	14	134
F	9	10	14	13	9	7	3	3	4	6	8	10	96
G	12	12	17	15	10	8	4	4	5	7	10	13	117

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
- B Precipitation greater than a trace
- C Temperature greater than 85°F for 5 hours or more
- D Thunderstorms
- E Relative Humidity greater than 60% at noon LST
- F Wind greater than 15 Knots between 06 & 18 LST
- G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Meridian MS POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	8	4	1	0	0	0	0	0	0	0	#	3	16
B	10	9	10	9	8	8	11	9	8	5	8	10	105
C	0	0	0	0	2	11	14	12	4	0	0	0	43
D	2	3	5	6	6	7	12	9	4	2	2	2	60
E	15	10	10	9	10	9	11	12	11	9	11	14	131
F	2	3	4	2	1	1	1	1	#	#	2	2	19
G	3	4	5	3	1	1	1	1	#	1	2	2	24

Middletown PA POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	22	17	9	1	0	0	0	0	0	#	5	17	71
B	11	9	12	12	12	11	9	10	8	8	10	9	121
C	0	0	0	0	0	1	3	2	1	0	0	0	7
D	#	#	1	2	5	5	6	5	2	1	#	#	28
E	9	7	7	6	7	8	7	8	8	9	9	9	94
F	11	10	13	13	9	6	4	3	4	7	9	10	99
G	14	12	15	15	10	7	5	4	5	7	10	12	116

Milwaukee WI POR: Jan 48-Dec 83

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	23	20	17	6	#	0	0	0	0	1	11	22	100
B	11	10	12	12	12	11	10	9	9	9	10	11	126
C	0	0	0	0	0	1	2	1	#	0	0	0	4
D	#	#	1	4	4	7	7	6	4	2	1	#	36
E	17	15	15	11	12	11	11	12	10	11	14	18	157
F	14	13	15	16	14	12	10	9	13	14	14	13	157
G	16	15	17	17	16	13	11	10	13	15	16	16	175

Minot AFB ND POR: Oct 59-Aug 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	27	24	22	9	2	0	0	0	1	6	21	28	140
B	8	7	8	9	10	11	9	8	7	5	6	7	95
C	0	0	0	0	0	2	6	6	1	0	0	0	15
D	0	0	0	1	3	8	8	6	2	#	0	0	28
E	20	20	17	9	6	7	5	6	7	10	18	22	147
F	15	12	14	15	16	13	10	10	12	14	11	13	155
G	18	14	16	16	17	14	11	12	13	16	14	16	177

Misawa AB, Japan POR: May 48-Feb 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	26	23	16	2	0	0	0	0	0	#	5	19	91
B	19	16	13	11	10	12	13	12	14	11	14	16	161
C	0	0	0	0	0	0	1	1	0	0	0	0	2
D	#	0	0	#	1	1	2	2	1	#	#	#	8
E	19	16	14	11	14	22	25	24	19	13	13	17	207
F	15	13	15	16	14	8	5	6	7	9	12	12	132
G	17	15	16	16	14	9	6	6	8	10	13	14	144



# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
- B Precipitation greater than a trace
- C Temperature greater than 85°F for 5 hours or more
- D Thunderstorms
- E Relative Humidity greater than 60% at noon LST
- F Wind greater than 15 Knots between 06 & 18 LST
- G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Montgomery AL POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	6	3	#	0	0	0	0	0	0	0	#	3	12
B	11	9	10	8	9	9	12	9	8	6	8	10	109
C	0	0	0	0	1	11	13	10	4	0	0	0	39
D	2	2	5	5	7	9	12	9	4	1	2	2	60
E	13	9	10	8	10	8	12	13	10	9	11	13	126
F	7	7	9	6	5	4	4	3	2	2	4	6	59
G	8	8	10	7	6	4	5	3	3	3	5	7	69

Moody AFB GA POR: Apr 42-Feb 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	3	1	#	0	0	0	0	0	0	0	#	1	5
B	8	8	9	7	9	10	13	12	9	5	7	8	105
C	0	0	0	0	3	9	9	9	2	0	0	0	32
D	1	2	3	4	6	9	13	11	5	2	1	1	58
E	12	10	8	6	6	9	12	13	12	9	9	12	118
F	3	4	5	4	3	2	2	2	2	2	2	3	34
G	4	5	6	4	3	3	2	2	2	2	2	3	38

Mountain Home AFB ID POR: Jul 43-Sep 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	20	13	6	1	0	0	0	0	0	#	8	19	67
B	10	7	7	6	6	6	2	3	3	4	8	9	71
C	0	0	0	0	1	4	15	12	3	0	0	0	35
D	0	#	#	1	2	3	3	3	1	#	#	#	14
E	17	11	5	3	2	1	#	#	1	3	9	16	68
F	8	10	12	13	13	12	9	8	8	9	8	8	118
G	10	11	14	14	15	13	12	10	10	10	10	10	139

Myrtle Beach AFB SC POR: Nov 42-Sep 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	5	3	1	0	0	0	0	0	0	0	#	3	12
B	10	9	11	7	9	10	13	11	9	6	6	9	110
C	0	0	0	0	0	1	4	2	#	0	0	0	7
D	1	1	2	3	5	8	11	10	5	1	1	#	48
E	14	11	13	11	15	18	21	20	17	12	11	12	175
F	4	6	7	8	5	4	5	3	2	2	3	3	52
G	5	7	8	9	6	4	5	4	2	3	3	4	60

NAS Moffet Field CA POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	#	#	0	0	0	0	0	0	0	0	0	#	#
B	9	9	9	5	3	1	#	1	1	3	7	9	57
C	0	0	0	0	1	1	1	#	1	0	0	0	4
D	#	#	#	#	#	#	#	#	#	#	#	#	3
E	19	14	12	7	7	10	12	12	9	10	14	19	112
F	3	3	3	4	7	10	9	8	4	3	2	4	60
G	4	4	4	4	7	10	9	8	5	3	3	5	66

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
  - B Precipitation greater than a trace
  - C Temperature greater than 85°F for 5 hours or more
  - D Thunderstorms
  - E Relative Humidity greater than 60% at noon LST
  - F Wind greater than 15 Knots between 06 & 18 LST
  - G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Nashville TN POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	16	11	4	#	0	0	0	0	0	#	2	10	43
B	11	11	12	11	11	9	10	9	8	7	10	11	120
C	0	0	0	0	1	6	12	8	2	0	0	0	29
D	1	2	4	5	7	8	10	8	4	2	2	1	54
E	16	12	12	9	11	9	11	12	12	10	14	16	144
F	10	10	15	13	9	6	5	3	3	6	8	10	98
G	13	13	17	15	10	7	6	4	4	7	10	14	120

Nellis AFB NV POR: Mar 42-Aug 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	2	1	0	0	0	0	0	0	0	0	0	1	4
B	3	2	3	2	1	#	2	2	2	2	2	3	24
C	0	0	0	2	12	22	26	26	20	5	0	0	113
D	#	#	#	#	1	1	4	4	2	1	#	#	14
E	3	2	1	1	#	#	#	#	#	1	1	2	12
F	6	8	12	13	13	12	11	10	8	7	6	5	111
G	8	9	4	16	15	15	14	13	10	8	7	6	135

New Orleans NAS LA POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	3	1	#	0	0	0	0	0	0	0	0	1	5
B	10	9	9	7	9	10	16	15	11	6	7	10	119
C	0	0	0	0	2	12	12	10	3	0	0	0	39
D	3	3	4	4	7	11	19	16	8	2	2	2	81
E	19	15	16	15	15	17	19	20	19	15	16	20	206
F	5	6	6	5	3	3	2	2	2	1	3	4	42
G	6	6	7	6	3	3	3	3	2	2	4	6	51

Niagara Falls NY POR: Jun 51-Jun 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	24	21	18	5	#	0	0	0	0	1	10	22	101
B	18	15	14	13	12	10	9	10	10	13	15	18	157
C	0	0	0	0	0	0	1	#	#	0	0	0	1
D	#	#	1	3	3	6	6	6	4	1	1	#	31
E	23	20	18	12	11	11	9	10	11	13	18	22	168
F	15	12	13	13	11	10	8	7	8	10	11	14	132
G	18	14	15	15	12	10	9	7	9	11	14	17	151

Norton AFB CA POR: Jan 43-Dec 85

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	#	0	0	0	0	0	0	0	0	0	0	0	#
B	6	5	7	5	2	1	1	1	1	2	4	5	40
C	0	0	0	2	3	8	20	20	15	6	0	0	74
D	1	1	1	1	#	#	1	1	1	1	#	#	9
E	8	7	7	5	5	3	#	1	2	4	5	6	53
F	4	4	4	4	3	2	2	2	2	2	3	3	35
G	4	5	5	4	3	2	2	2	2	3	3	4	39

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
  - B Precipitation greater than a trace
  - C Temperature greater than 85°F for 5 hours or more
  - D Thunderstorms
  - E Relative Humidity greater than 60% at noon LST
  - F Wind greater than 15 Knots between 06 & 18 LST
  - G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Offutt AFB NE POR: Jan 48-May 84

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	28	21	17	3	0	0	0	0	0	1	11	23	104
B	6	6	8	9	10	10	8	9	8	6	5	6	91
C	0	0	0	0	1	7	12	9	2	0	0	0	31
D	#	#	2	4	8	10	9	9	6	3	1	#	52
E	20	18	16	10	11	11	12	12	11	10	14	19	164
F	10	10	15	17	14	10	7	7	8	11	10	10	129
G	13	12	17	19	15	12	9	8	9	12	12	12	150

O'Hare IAP IL POR: Oct 46-Dec 83

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	24	29	15	3	#	0	0	0	0	1	10	22	95
B	10	9	12	12	11	10	10	8	9	8	10	11	120
C	0	0	0	0	1	2	4	3	#	0	0	0	10
D	#	#	2	5	5	7	7	6	4	1	1	1	39
E	19	16	14	10	9	9	9	9	8	8	14	20	145
F	13	12	15	15	14	10	7	7	10	12	13	13	141
G	15	14	17	17	14	11	8	8	11	13	15	15	158

Oklahoma City OK POR: Jan 45-Dec 81

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	12	9	4	#	0	0	0	0	0	#	3	8	36
B	6	6	7	7	10	8	7	7	7	6	5	5	81
C	0	0	0	0	2	10	17	17	8	1	0	0	55
D	1	1	3	5	9	9	7	6	5	3	1	1	51
E	11	10	9	8	11	10	7	6	7	7	8	9	103
F	16	16	20	19	17	16	14	13	13	15	15	17	191
G	18	17	21	19	18	17	15	15	14	17	17	18	206

Osan AB, Rep of Korea POR: Jan 53-Apr 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	27	21	8	0	0	0	0	0	0	0	5	20	81
B	7	5	6	8	7	9	15	12	8	7	9	7	100
C	0	0	0	0	0	0	1	1	0	0	0	0	2
D	0	#	#	1	1	1	4	3	1	1	1	#	13
E	13	11	10	9	10	15	24	23	15	10	12	15	167
F	4	4	6	6	4	2	3	2	2	3	3	3	42
G	5	5	6	7	5	2	3	3	2	3	3	4	48

Otis ANGB MA POR: Jan 49-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	21	19	13	2	0	0	0	0	0	#	4	16	75
B	12	11	12	12	11	8	8	9	8	9	2	13	115
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	1	1	2	3	3	3	2	1	1	#	17
E	15	12	13	12	14	14	15	16	14	14	15	15	175
F	15	14	18	17	16	13	10	10	10	12	13	15	163
G	17	17	20	18	17	14	11	11	11	14	15	17	182

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

A Temperature less than or equal to 40°F at noon LST

B Precipitation greater than a trace

C Temperature greater than 85°F for 5 hours or more

D Thunderstorms

E Relative Humidity greater than 60% at noon LST

F Wind greater than 15 Knots between 06 & 18 LST

G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

Patrick AFB FL POR: Jan 51-Mar 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	#	0	0	0	0	0	0	0	0	0	0	#	#
B	6	7	7	5	8	11	11	11	14	11	7	7	105
C	0	0	0	0	#	1	3	3	1	0	0	0	8
D	1	1	3	3	7	12	14	14	9	3	1	1	69
E	20	18	18	17	20	24	26	27	26	21	19	21	257
F	9	11	12	10	8	7	5	5	8	10	9	9	103
G	11	12	14	12	10	8	6	6	9	12	11	10	121

Pease AFB NH POR: Apr 56-Feb 85

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	27	24	18	4	#	0	0	0	0	1	9	24	107
B	11	10	12	11	12	10	10	10	9	9	11	12	127
C	0	0	0	0	0	#	1	#	#	0	0	0	1
D	#	#	#	1	2	4	6	4	2	1	#	#	21
E	12	10	11	10	11	12	12	13	12	11	13	14	141
F	9	10	10	11	9	5	4	4	4	6	7	8	88
G	11	12	12	12	9	5	4	4	5	7	9	11	101

Peoria IL POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	28	23	14	2	0	0	0	0	0	#	12	26	105
B	9	8	11	12	12	10	9	8	9	8	9	10	115
C	0	0	0	0	#	3	7	4	1	0	0	0	15
D	1	1	3	5	7	9	8	7	5	3	1	1	51
E	21	18	15	11	11	11	13	14	12	12	17	23	178
F	13	12	18	18	13	10	5	4	6	10	11	12	132
G	16	14	21	20	14	11	6	4	8	12	14	15	155

Peterson AFB CO POR: Sep 42-Mar 85

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	14	11	9	4	1	0	0	0	#	2	8	11	60
B	5	4	7	8	10	9	13	12	6	5	4	4	87
C	0	0	0	0	0	3	5	3	1	0	0	0	12
D	0	#	#	2	9	11	17	14	5	1	#	0	59
E	5	4	5	4	4	2	1	2	2	3	4	4	40
F	10	11	15	16	17	16	14	12	12	11	10	10	154
G	13	12	17	17	18	17	16	14	13	13	12	13	175

Phoenix AZ POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	#	0	0	0	0	0	0	0	0	0	0	#	#
B	4	4	4	2	1	1	4	5	3	3	3	4	38
C	0	0	0	5	20	27	30	30	25	10	0	0	148
D	#	1	1	1	1	1	6	7	4	1	1	1	25
E	4	2	2	1	0	1	#	#	#	1	2	4	17
F	3	4	6	7	7	5	5	4	4	4	3	3	55
G	4	5	8	9	8	7	11	9	7	5	4	3	80

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
- B Precipitation greater than a trace
- C Temperature greater than 85°F for 5 hours or more
- D Thunderstorms
- E Relative Humidity greater than 60% at noon LST
- F Wind greater than 15 Knots between 06 & 18 LST
- G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Plattsburgh AFB NY POR: Jan 56-Dec 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	30	27	24	7	#	0	0	0	0	2	15	18	123
B	12	9	11	10	11	11	11	11	10	10	12	13	131
C	0	0	0	0	0	#	1	#	0	0	0	0	1
D	#	0	#	1	3	6	7	6	2	1	#	#	26
E	18	14	14	11	10	14	15	17	18	17	19	21	188
F	8	8	11	11	10	7	6	5	7	8	7	7	95
G	11	11	13	12	11	7	6	5	7	9	9	11	112

Pope AFB NC POR: Jul 37-Dec 83

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	9	6	2	0	0	0	0	0	0	0	1	6	24
B	10	9	10	8	10	10	12	11	8	6	7	9	110
C	0	0	0	0	1	7	9	7	1	0	0	0	25
D	#	1	2	3	6	7	10	8	4	1	1	#	43
E	13	10	10	6	8	9	12	13	11	9	10	12	123
F	5	6	8	8	4	3	3	2	2	3	4	4	52
G	6	7	8	8	5	5	3	3	2	3	4	4	58

Portland IAP OR POR: Jan 48-Oct 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	11	4	1	#	0	0	0	0	0	0	3	7	26
B	20	16	18	14	12	8	4	6	8	13	18	20	157
C	0	0	0	0	0	0	1	1	0	0	0	0	2
D	#	#	1	1	1	1	1	1	1	#	#	#	8
E	20	18	17	11	10	8	6	7	10	18	19	21	165
F	11	10	10	7	5	4	4	3	5	5	9	11	84
G	14	12	11	8	6	5	5	3	5	6	11	13	99

Providence RI POR: Mar 67-Dec 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	22	19	12	2	#	0	0	0	0	#	5	18	78
B	11	10	12	11	11	11	9	10	8	8	11	12	124
C	0	0	0	0	0	0	1	#	0	0	0	0	1
D	#	#	1	1	3	4	4	4	2	1	1	#	27
E	10	8	10	7	10	11	10	11	10	9	10	11	117
F	16	16	20	22	18	13	11	9	9	13	14	16	177
G	19	18	22	23	19	13	12	9	10	14	16	18	193

RAF Alconbury UK POR: Sep 55-Sep 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	15	13	6	1	0	0	0	0	0	0	4	12	51
B	15	12	14	14	13	11	11	13	11	12	14	14	154
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	1	1	3	3	3	3	1	#	#	#	16
E	28	24	22	16	14	13	14	13	15	23	26	28	236
F	10	8	12	11	9	6	5	7	7	8	9	9	101
G	11	9	13	12	10	6	5	7	8	9	10	11	111

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
- B Precipitation greater than a trace
- C Temperature greater than 85°F for 5 hours or more
- D Thunderstorms
- E Relative Humidity greater than 60% at noon LST
- F Wind greater than 15 Knots between 06 & 18 LST
- G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

RAF Bentwaters UK POR: Jun 51-Nov 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	13	13	6	1	0	0	0	0	0	0	3	9	45
B	15	13	14	12	12	10	10	11	11	13	15	15	151
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	#	1	2	3	3	2	2	1	#	#	15
E	28	24	22	17	17	15	17	17	17	24	27	28	253
F	11	8	10	9	8	7	6	6	7	8	10	10	100
G	13	10	11	9	9	7	6	6	8	9	12	12	112

RAF Fairford UK POR: Jun 52-Jun 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	9	9	4	1	0	0	0	0	0	0	2	6	31
B	15	11	14	12	14	12	11	14	13	15	16	16	163
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	#	1	2	2	2	2	1	#	#	0	11
E	19	16	16	13	11	10	10	11	13	17	18	18	172
F	7	6	8	7	7	5	5	5	6	6	6	6	74
G	8	7	8	7	7	5	6	5	6	7	7	7	80

RAF Mildenhall UK POR: Jul 50-Nov 83

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	13	10	4	1	0	0	0	0	0	0	3	11	42
B	15	12	14	13	13	11	12	13	12	13	15	15	158
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	1	1	3	3	3	3	1	#	#	#	16
E	25	22	19	13	12	12	14	14	15	22	25	26	219
F	10	8	11	10	10	7	7	7	9	8	10	10	107
G	12	10	13	11	10	7	7	8	9	9	11	12	119

RAF Lakenheath UK POR: May 49-Sep 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	15	12	5	1	0	0	0	0	0	0	4	11	48
B	14	11	13	12	12	10	11	11	10	11	14	13	142
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	1	1	3	3	3	3	2	#	#	#	17
E	29	25	20	14	14	12	14	15	17	24	27	29	240
F	11	10	14	13	13	9	9	9	10	11	11	11	131
G	14	12	14	13	13	10	10	10	11	12	13	13	145

RAF Upper Heyford UK POR: Nov 51-Nov 83

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	14	13	6	1	0	0	0	0	0	#	4	12	50
B	15	12	14	12	14	11	10	13	12	14	14	15	156
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	#	1	2	2	2	2	1	#	#	#	11
E	27	24	22	17	16	15	16	17	19	25	27	27	252
F	12	11	13	11	10	8	9	9	10	10	10	11	124
G	14	12	15	12	11	8	9	9	10	11	12	13	136

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

A Temperature less than or equal to 40°F at noon LST

B Precipitation greater than a trace

C Temperature greater than 85°F for 5 hours or more

D Thunderstorms

E Relative Humidity greater than 60% at noon LST

F Wind greater than 15 Knots between 06 & 18 LST

G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

RAF Woodbridge UK POR: Oct 54-Feb 88

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	13	12	5	1	0	0	0	0	0	0	2	9	42
B	16	13	14	13	13	10	11	11	11	13	16	15	156
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	#	1	2	3	3	2	2	1	#	#	15
E	26	23	21	17	16	13	15	14	15	22	23	26	231
F	9	8	10	8	7	5	5	5	6	7	7	8	85
G	10	9	11	8	7	6	5	5	6	8	9	10	94

Randolph AFB TX POR: Apr 38-Jan 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	4	2	#	0	0	0	0	0	0	0	#	1	7
B	8	7	7	7	8	5	4	6	7	6	6	7	78
C	0	0	0	2	7	19	24	23	14	3	0	0	92
D	1	2	2	5	6	4	4	5	4	3	1	1	38
E	14	12	11	13	12	8	4	3	8	9	8	13	115
F	8	8	11	10	9	7	5	5	6	5	8	8	90
G	10	10	13	12	11	9	8	8	7	6	9	9	112

Reese AFB TX POR: Mar 43-Feb 85

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	9	6	3	#	0	0	0	0	0	#	3	7	28
B	3	3	3	4	7	6	6	6	5	5	3	3	54
C	0	0	0	1	6	14	16	16	7	1	0	0	57
D	#	#	1	3	7	7	6	6	4	2	1	#	37
E	7	7	4	4	5	4	4	4	6	5	6	6	62
F	13	14	18	18	17	15	8	6	7	10	11	13	150
G	14	15	19	19	19	7	8	8	8	11	12	14	164

Reno NV POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	15	7	4	2	0	0	0	0	0	1	5	14	48
B	6	6	6	4	4	3	2	2	3	3	5	6	50
C	0	0	0	0	0	3	9	6	1	0	0	0	19
D	0	0	#	#	2	3	4	3	1	1	0	0	14
E	11	5	3	1	1	1	#	#	1	1	4	9	37
F	7	9	15	17	17	20	20	17	12	8	9	8	159
G	8	11	16	19	19	21	22	19	13	9	10	10	177

Rhein-Main AB, West Germany POR: Sep 46-Feb 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	18	15	6	1	#	0	0	0	0	1	8	16	65
B	16	13	14	14	15	13	14	13	11	14	15	16	168
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	1	2	4	6	5	5	2	1	#	#	27
E	23	19	15	10	9	8	9	10	14	20	22	23	182
F	8	7	9	10	8	7	7	6	7	5	6	7	87
G	10	8	9	11	9	8	8	7	7	6	7	9	99

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
- B Precipitation greater than a trace
- C Temperature greater than 85°F for 5 hours or more
- D Thunderstorms
- E Relative Humidity greater than 60% at noon LST
- F Wind greater than 15 Knots between 06 & 18 LST
- G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Richards-Gebaur AFB MO POR: Mar 54-Apr 85

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	22	16	10	2	0	0	0	0	0	#	7	18	75
B	8	6	9	11	11	10	8	8	9	8	6	7	101
C	0	0	0	0	1	5	14	12	3	0	0	0	35
D	1	1	3	6	8	10	9	8	6	4	1	1	58
E	16	13	11	10	11	13	9	9	9	8	11	15	135
F	8	7	12	13	9	7	4	5	5	8	8	8	94
G	10	9	14	15	10	10	5	5	6	8	9	10	111

Richmond/Byrd VA POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	15	11	4	0	0	0	0	0	0	0	1	8	39
B	10	9	11	9	11	10	11	10	8	7	8	9	113
C	0	0	0	0	0	3	7	3	1	0	0	0	14
D	#	#	2	3	6	7	9	7	3	1	1	#	39
E	11	8	8	6	9	9	11	13	10	10	9	11	115
F	6	7	9	9	6	3	3	2	2	3	5	6	61
G	7	9	10	10	7	4	4	2	3	4	6	7	73

Rickenbacker ANGB OH POR: Aug 42-Feb 88

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	23	19	11	2	#	0	0	0	0	#	8	20	83
B	12	10	12	12	12	10	10	9	8	8	11	12	126
C	0	0	0	0	#	2	4	3	1	0	0	0	10
D	1	1	2	4	6	8	8	7	4	1	1	#	43
E	19	16	13	10	10	9	10	11	10	10	15	20	153
F	9	9	12	11	8	6	4	3	4	6	8	9	89
G	11	10	13	12	8	7	4	4	5	6	10	11	101

Robins AFB GA POR: Aug 42-May 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	5	3	1	0	0	0	0	0	0	0	#	3	12
B	10	9	10	8	9	9	12	9	8	5	7	9	105
C	0	0	0	0	4	11	13	12	3	0	0	0	43
D	1	2	3	4	6	8	13	9	4	1	1	1	53
E	15	11	11	8	8	8	13	13	12	10	11	14	134
F	6	7	8	7	4	3	2	2	2	3	4	5	53
G	7	8	9	8	5	4	3	2	3	3	5	6	63

Rosecrans MO POR: Jan 68-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	20	16	8	2	0	0	0	0	0	#	8	18	72
B	7	6	8	10	10	10	9	8	8	6	5	6	93
C	0	0	0	0	0	7	11	8	2	1	0	0	29
D	1	1	2	6	8	11	9	8	6	3	1	#	56
E	12	12	10	8	9	7	9	11	10	8	11	14	121
F	11	11	16	17	13	12	7	5	7	10	11	12	132
G	14	14	19	19	15	14	8	6	8	12	12	15	156



# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

A Temperature less than or equal to 40°F at noon LST

B Precipitation greater than a trace

C Temperature greater than 85°F for 5 hours or more

D Thunderstorms

E Relative Humidity greater than 60% at noon LST

F Wind greater than 15 Knots between 06 & 18 LST

G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

Salt Lake City UT POR: Jan 66-Dec 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	21	13	7	2	#	0	0	0	0	1	8	22	74
B	10	9	10	10	8	6	5	6	5	6	8	9	92
C	0	0	0	0	0	7	18	15	3	0	0	0	43
D	#	1	1	2	5	6	7	8	4	2	1	#	37
E	18	11	7	5	3	1	#	1	2	4	8	18	78
F	7	8	13	14	13	11	12	12	10	8	9	7	124
G	9	10	15	16	15	13	15	14	12	10	11	9	149

San Juan, Puerto Rico POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	0	0	0	0	0	0	0	0	0	0	0	#	#
B	17	13	12	13	17	16	19	19	17	17	18	19	197
C	0	0	0	0	0	1	1	1	1	0	0	0	4
D	#	#	#	1	5	5	5	6	8	7	3	1	41
E	14	11	12	11	15	16	18	19	17	19	18	18	188
F	13	14	17	15	15	18	19	18	11	8	7	10	165
G	14	15	17	15	16	18	19	19	12	8	8	11	172

Savannah GA POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	4	2	#	0	0	0	0	0	0	0	#	2	8
B	9	9	9	7	9	11	14	13	10	6	6	8	111
C	0	0	0	0	1	5	9	5	1	0	0	0	21
D	1	1	3	4	8	10	15	12	6	1	#	1	62
E	11	8	8	5	7	9	11	14	13	10	10	12	118
F	8	8	10	8	5	4	4	3	3	4	4	6	67
G	8	9	11	9	5	5	5	4	3	5	5	7	76

Scott AFB IL POR: Jan 38-Aug 85

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	22	17	9	1	0	0	0	0	0	#	7	18	74
B	8	8	11	11	10	10	8	7	7	7	8	9	104
C	0	0	0	0	1	8	14	10	3	0	0	0	36
D	1	1	3	6	7	8	8	7	4	3	1	1	50
E	18	15	14	11	11	10	10	10	9	9	13	18	148
F	10	10	15	15	9	7	3	3	4	6	10	10	102
G	13	11	17	16	10	8	4	4	5	7	11	11	117

Selfridge ANGB MI POR: Jan 37-Feb 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	29	26	21	6	#	0	0	0	0	1	12	26	121
B	12	11	12	12	11	10	9	9	8	9	11	12	126
C	0	0	0	0	0	1	2	1	#	0	0	0	4
D	#	#	1	3	4	6	7	6	4	1	1	#	33
E	25	21	18	13	13	13	12	14	15	17	21	25	207
F	13	11	14	14	10	7	5	5	7	9	11	12	118
G	16	13	16	15	11	8	6	5	8	10	13	15	136

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
  - B Precipitation greater than a trace
  - C Temperature greater than 85°F for 5 hours or more
  - D Thunderstorms
  - E Relative Humidity greater than 60% at noon LST
  - F Wind greater than 15 Knots between 06 & 18 LST
  - G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Sembach AB, West Germany POR: Jul 53-May 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	21	17	9	2	0	0	0	0	0	1	11	18	79
B	15	13	13	13	13	13	12	12	12	12	14	15	157
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	1	1	4	6	5	4	2	#	#	#	24
E	25	21	18	13	13	12	12	14	16	22	23	25	214
F	8	6	6	6	6	4	5	5	4	4	5	7	66
G	9	7	7	7	6	5	5	5	5	5	6	8	75

Seymour-Johnson AFB NC POR: Jun 43-Feb 85

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	8	5	1	0	0	0	0	0	0	0	#	1	18
B	10	9	10	9	10	10	13	11	7	7	7	9	112
C	0	0	0	0	1	3	5	4	1	0	0	0	14
D	1	1	2	3	6	8	11	9	4	1	1	1	48
E	9	7	7	5	7	8	11	10	8	7	6	8	93
F	4	5	6	6	3	2	2	2	1	2	3	3	39
G	5	5	7	6	4	2	2	2	1	2	4	4	44

Sioux City MAP IA POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	29	24	17	3	0	0	0	0	0	2	15	28	118
B	7	7	9	10	11	11	9	9	8	7	6	7	101
C	0	0	0	0	1	5	9	6	2	0	0	0	23
D	#	#	1	4	7	9	8	8	5	2	#	#	44
E	20	18	16	10	10	11	12	14	12	11	16	23	173
F	17	15	20	23	19	18	13	11	14	18	16	15	199
G	19	17	22	24	20	20	14	13	16	20	17	19	221

Sioux Falls SD POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	30	25	20	5	#	0	0	0	0	3	19	29	131
B	6	6	9	9	10	11	9	9	8	6	6	6	95
C	0	0	0	0	0	3	10	7	2	0	0	0	22
D	0	#	1	3	6	9	9	8	6	2	#	#	44
E	21	20	18	11	10	11	8	10	11	12	17	23	172
F	14	13	19	22	18	16	13	14	14	17	15	14	189
G	18	15	21	23	20	18	15	16	16	18	17	16	213

Shaw AFB SC POR: Dec 41-Jun 84

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	6	4	1	0	0	0	0	0	0	0	#	4	15
B	10	9	10	8	9	10	12	10	8	6	7	9	108
C	0	0	0	0	2	7	10	7	1	0	0	0	27
D	#	1	2	4	7	8	12	9	4	1	1	1	50
E	13	10	10	7	8	8	13	13	12	9	9	12	124
F	6	6	8	8	5	3	3	2	3	4	4	5	57
G	7	7	9	9	5	4	3	3	3	4	5	6	65

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

A Temperature less than or equal to 40°F at noon LST

B Precipitation greater than a trace

C Temperature greater than 85°F for 5 hours or more

D Thunderstorms

E Relative Humidity greater than 60% at noon LST

F Wind greater than 15 Knots between 06 & 18 LST

G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

Sheppard AFB TX POR: Aug 46-Jan 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	9	6	2	0	0	0	0	0	0	0	2	6	25
B	5	5	6	7	9	6	5	5	6	5	5	4	68
C	0	0	0	2	6	16	21	21	12	2	0	0	80
D	1	1	3	6	10	7	6	6	4	3	2	1	50
E	9	8	7	6	7	4	3	2	5	7	7	8	73
F	13	13	17	17	16	14	13	12	11	12	13	13	164
G	14	14	18	18	18	16	14	13	12	13	15	15	180

Soesterberg, The Netherlands POR: Jan 66-May 85

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	21	17	9	2	0	0	0	0	0	#	7	18	74
B	19	16	18	19	19	17	20	20	17	19	21	21	226
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	1	1	2	4	5	4	6	3	1	1	1	29
E	31	27	25	17	17	13	18	16	19	28	30	31	272
F	8	7	12	12	9	9	7	7	7	6	8	7	99
G	10	8	13	13	10	9	7	7	7	7	10	9	110

Spangdahlem AB, West Germany POR: May 53-Feb 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	24	20	12	4	#	0	0	0	0	2	13	21	96
B	18	13	14	12	14	13	13	13	12	13	15	16	166
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	1	1	4	5	5	4	2	1	#	#	24
E	27	22	21	14	13	14	15	16	19	26	26	27	240
F	7	5	7	5	4	3	4	4	4	4	5	6	58
G	9	7	8	6	5	4	4	4	5	4	6	8	70

Springfield IL POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	26	20	11	2	0	0	0	0	0	#	9	23	91
B	9	9	12	12	11	10	9	8	8	8	9	10	115
C	0	0	0	0	1	6	10	5	1	0	0	0	23
D	1	1	3	6	7	8	9	7	5	2	1	1	51
E	20	18	16	11	11	9	11	12	11	10	17	23	169
F	16	15	20	19	16	12	6	4	8	13	14	15	158
G	19	17	22	21	17	13	8	6	9	14	17	19	182

Stewart ANGB NY POR: Mar 67-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	18	13	10	2	0	0	0	0	0	1	6	16	66
B	11	10	11	11	12	10	10	9	8	8	11	10	121
C	0	0	0	0	0	#	1	#	0	0	0	0	1
D	#	0	1	2	4	5	6	4	2	1	#	#	25
E	10	9	8	6	7	8	9	10	9	9	11	11	107
F	8	9	10	9	7	5	3	3	4	6	7	8	79
G	10	10	11	10	8	6	4	3	4	6	8	9	89

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
- B Precipitation greater than a trace
- C Temperature greater than 85°F for 5 hours or more
- D Thunderstorms
- E Relative Humidity greater than 60% at noon LST
- F Wind greater than 15 Knots between 06 & 18 LST
- G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

St Paul IAP MN POR: Jan 45-May 84

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	25	22	19	5	#	0	0	0	0	2	15	23	111
B	9	7	10	10	11	12	10	9	9	8	9	10	114
C	0	0	0	0	1	2	6	4	1	0	0	0	14
D	#	#	1	3	5	8	7	7	4	2	1	#	38
E	17	14	13	8	7	7	7	8	9	8	14	18	130
F	10	9	13	15	15	13	10	9	11	12	11	9	137
G	13	11	15	17	16	14	11	10	13	13	13	12	158

Suffolk Co NY POR: Mar 67-Dec 69, Jan 73-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	10	8	5	#	0	0	0	0	0	0	1	7	31
B	10	10	12	12	10	8	8	9	8	8	10	11	116
C	0	0	0	0	0	0	#	0	0	0	0	0	#
D	#	#	1	1	3	4	5	4	2	1	#	#	22
E	3	4	4	4	5	6	6	7	5	6	6	4	60
F	7	7	8	8	7	6	3	3	3	6	7	7	72
G	8	7	9	8	7	6	3	4	4	6	9	9	80

Suwon AB, Korea POR: Feb 51-Dec 83

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	25	20	8	0	0	0	0	0	0	0	5	20	78
B	7	6	7	8	8	9	15	13	9	6	8	7	103
C	0	0	0	0	0	0	1	1	0	0	0	0	2
D	0	#	#	1	1	2	4	3	2	1	1	#	15
E	17	16	14	12	11	15	24	24	17	12	15	18	195
F	6	6	9	9	7	4	4	3	3	4	5	5	65
G	7	7	9	10	7	5	4	3	3	5	5	6	71

Syracuse NY POR: Oct 42-May 84

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	22	20	15	4	#	0	0	0	0	1	9	20	91
B	19	16	17	14	13	11	11	11	10	11	16	19	168
C	0	0	0	0	0	#	1	#	0	0	0	0	1
D	#	#	1	2	4	6	7	6	3	1	1	#	31
E	18	16	13	9	9	8	7	9	10	10	15	19	143
F	12	11	13	14	11	8	8	6	7	9	10	11	120
G	14	13	15	15	12	9	8	7	8	10	12	14	137

Taegu AB, Rep of Korea POR: Nov 50-May 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	19	11	3	0	0	0	0	0	0	0	2	11	46
B	5	5	6	9	8	10	13	10	10	6	7	4	93
C	0	0	0	0	0	#	7	8	#	0	0	0	15
D	0	0	0	0	#	2	4	5	2	#	0	0	13
E	10	8	8	7	7	9	16	14	11	7	10	10	117
F	6	5	6	5	4	2	1	2	2	2	3	5	43
G	7	6	7	6	4	3	2	3	2	2	3	6	51

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
  - B Precipitation greater than a trace
  - C Temperature greater than 85°F for 5 hours or more
  - D Thunderstorms
  - E Relative Humidity greater than 60% at noon LST
  - F Wind greater than 15 Knots between 06 & 18 LST
  - G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Terre Haute IN POR: Mar 67-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	24	18	11	1	0	0	0	0	0	#	9	21	84
B	12	10	13	12	11	11	10	7	8	6	9	11	120
C	0	0	0	0	0	4	7	2	1	0	0	0	14
D	#	1	3	4	5	7	7	6	4	2	1	#	40
E	20	17	15	10	11	12	15	17	14	11	16	22	180
F	10	10	16	15	11	10	5	3	4	6	10	11	111
G	13	11	18	16	12	11	6	4	4	8	12	14	129

Tinker AFB OK POR: Dec 42-Mar 84

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	14	10	5	#	0	0	0	0	0	#	3	10	42
B	5	5	7	7	9	8	6	6	6	6	5	5	75
C	0	0	0	0	2	12	20	20	9	1	0	0	64
D	1	1	3	5	9	8	6	5	4	3	1	1	47
E	13	11	11	8	11	10	7	5	7	7	9	12	111
F	15	15	19	18	16	15	11	11	12	14	15	16	177
G	18	17	21	20	17	16	12	12	14	16	17	18	198

Toledo OH POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	24	21	16	4	0	0	0	0	0	1	11	24	101
B	14	11	14	13	12	10	9	9	10	9	12	14	137
C	0	0	0	0	0	1	3	1	0	0	0	0	5
D	#	1	2	4	5	7	7	6	4	1	1	#	38
E	20	16	15	10	10	10	11	13	12	12	17	22	168
F	11	10	14	15	11	8	4	3	4	7	9	11	107
G	14	13	15	16	11	9	5	3	5	8	11	14	124

Topeka KS POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	24	18	10	1	0	0	0	0	0	#	8	21	82
B	6	6	9	10	12	10	9	8	8	7	6	6	97
C	0	0	0	0	1	7	16	12	4	0	0	0	40
D	#	1	2	6	9	10	9	8	6	4	1	#	56
E	17	15	12	11	12	14	12	13	12	12	15	19	164
F	12	13	19	19	15	12	7	6	8	12	12	13	148
G	14	15	20	21	16	13	9	7	9	14	14	15	167

Torrejon AB, Spain POR: Oct 57-Apr 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	9	4	1	0	0	0	0	0	0	0	1	9	24
B	9	9	8	9	9	6	2	2	5	7	8	9	83
C	0	0	0	0	0	0	#	#	0	0	0	0	#
D	#	#	1	2	4	5	3	3	3	1	#	#	23
E	25	19	13	10	7	3	1	1	5	12	21	26	143
F	6	6	9	8	6	4	3	4	3	5	5	8	67
G	7	7	10	10	7	5	5	6	3	6	6	9	81

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
- B Precipitation greater than a trace
- C Temperature greater than 85°F for 5 hours or more
- D Thunderstorms
- E Relative Humidity greater than 60% at noon LST
- F Wind greater than 15 Knots between 06 & 18 LST
- G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Travis AFB CA POR: Aug 43-Feb 88

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	2	#	0	0	0	0	0	0	0	0	0	2	4
B	10	8	8	5	2	1	#	#	1	3	7	9	54
C	0	0	0	0	2	5	5	5	5	1	0	0	23
D	#	#	#	1	#	#	#	#	#	#	#	#	3
E	22	17	13	7	5	2	1	1	2	5	12	21	108
F	8	9	14	15	21	23	24	22	17	12	8	7	180
G	10	11	16	17	23	25	26	25	20	15	9	9	206

Tuscon AZ POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	#	#	#	0	0	0	0	0	0	0	0	1	1
B	4	4	4	2	1	2	11	9	5	3	3	4	52
C	0	0	0	2	12	25	24	23	19	5	0	0	110
D	#	#	#	1	1	3	14	14	6	2	1	#	43
E	3	2	1	#	#	#	1	#	1	1	1	3	14
F	9	10	13	16	15	16	12	9	12	10	9	8	139
G	10	11	14	16	16	17	17	14	13	12	10	10	160

Tulsa OK POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	18	11	4	#	0	0	0	0	0	0	4	12	49
B	6	7	8	9	11	9	6	7	7	7	6	7	90
C	0	0	0	0	2	12	22	22	8	1	0	0	67
D	1	1	3	6	9	8	6	6	5	3	1	1	50
E	14	12	11	10	13	13	7	8	12	11	13	14	138
F	13	14	18	19	15	14	10	10	11	14	13	14	165
G	15	16	20	21	16	16	12	11	13	15	15	16	186

Tyndall AFB FL POR: Mar 42-Apr 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	2	1	0	0	0	0	0	0	0	0	#	1	4
B	9	8	9	5	6	8	13	13	10	5	7	8	101
C	0	0	0	0	#	3	9	9	2	0	0	0	23
D	1	3	4	3	5	9	14	15	6	2	2	2	66
E	17	15	16	16	18	20	23	21	18	13	14	16	207
F	7	8	11	10	6	4	4	4	4	4	6	7	75
G	9	10	13	10	7	4	4	4	5	5	7	9	87

Vance AFB OK POR: Jan 42-Apr 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	13	9	4	#	0	0	0	0	0	#	3	9	38
B	5	5	6	7	8	7	6	6	6	5	5	4	70
C	0	0	0	0	3	13	20	19	8	1	0	0	64
D	#	1	2	4	7	7	6	6	4	2	1	#	40
E	11	10	8	7	7	5	4	4	6	7	8	10	87
F	14	14	18	17	13	14	11	10	11	13	13	13	161
G	16	15	19	18	15	15	12	11	12	14	14	14	175

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

A Temperature less than or equal to 40°F at noon LST

B Precipitation greater than a trace

C Temperature greater than 85°F for 5 hours or more

D Thunderstorms

E Relative Humidity greater than 60% at noon LST

F Wind greater than 15 Knots between 06 & 18 LST

G Wind greater than 15 Knots--all hours

# = Less than 1/2 day

Vandenberg AFB CA POR: Jul 51-Dec 84

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	#	0	0	0	0	0	0	0	0	0	0	0	#
B	#	#	#	#	#	#	#	#	#	#	#	#	2
C	0	0	0	0	0	0	0	0	0	0	0	0	#
D	#	#	#	#	#	#	#	#	#	#	#	#	2
E	10	11	14	13	17	18	21	21	18	14	10	10	177
F	5	7	9	8	8	6	2	3	3	5	5	5	66
G	5	7	9	9	8	6	2	3	4	5	5	6	69

Van Nuys CA POR: Dec 42-Apr 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	#	0	0	0	0	0	0	0	0	0	0	0	#
B	5	8	6	1	1	1	1	2	2	2	3	7	39
C	0	0	0	#	1	3	5	6	5	2	0	0	22
D	#	#	#	#	#	0	#	#	#	#	#	#	2
E	2	2	2	2	2	2	1	#	1	2	1	2	19
F	5	4	4	4	2	1	1	1	1	2	4	4	33
G	6	5	5	4	3	1	2	1	2	3	4	5	41

Washington DC POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	17	13	5	#	0	0	0	0	0	#	2	10	47
B	10	9	11	10	11	10	10	9	8	7	8	9	112
C	0	0	0	0	#	3	8	6	2	0	0	0	19
D	#	#	1	3	5	6	6	5	2	1	1	#	30
E	10	7	8	6	10	9	10	11	10	11	9	10	111
F	11	11	15	13	9	7	5	5	5	8	9	10	108
G	14	14	17	15	11	9	6	6	6	9	11	13	131

Westfield/Barnes MA POR: Jan 73-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	24	20	13	3	0	0	0	0	0	1	7	21	89
B	11	9	11	11	12	11	10	9	9	8	11	11	123
C	0	0	0	0	0	1	3	1	0	0	0	0	5
D	#	#	1	1	3	5	6	5	2	1	#	#	24
E	9	8	7	6	7	7	5	9	9	7	10	11	95
F	8	7	9	9	5	4	3	2	4	4	7	7	69
G	10	8	9	9	5	5	3	2	4	5	8	8	76

Westover AFB MA POR: Apr 41-Sep 85

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	26	22	14	2	0	0	0	0	0	#	7	22	93
B	11	9	11	11	12	11	10	9	9	8	11	11	123
C	0	0	0	0	0	1	2	1	0	0	0	0	4
D	#	#	1	1	3	5	6	5	2	1	#	#	24
E	13	11	10	8	9	9	8	10	9	10	13	15	125
F	11	11	13	14	11	8	6	5	6	8	9	10	112
G	13	13	15	15	12	9	6	6	6	9	10	12	126

# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
  - B Precipitation greater than a trace
  - C Temperature greater than 85°F for 5 hours or more
  - D Thunderstorms
  - E Relative Humidity greater than 60% at noon LST
  - F Wind greater than 15 Knots between 06 & 18 LST
  - G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Wheeler AFB HI POR: Jun 39-May 84

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	0	0	0	0	0	0	0	0	0	0	0	0	0
B	18	14	16	18	17	16	17	15	15	15	19	18	198
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	1	1	1	1	1	#	#	#	1	1	2	1	10
E	13	11	11	10	8	8	8	8	8	11	12	14	122
F	3	3	4	5	4	5	6	5	4	3	3	4	49
G	3	4	4	5	4	5	6	5	4	3	3	4	50

Whiteman AFB MO POR: Dec 42-Oct 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	17	13	8	1	0	0	0	0	0	#	6	15	60
B	7	7	10	11	11	10	8	8	9	8	7	8	94
C	0	0	0	0	#	5	13	11	3	0	0	0	32
D	1	1	3	7	9	10	8	8	6	4	2	1	60
E	13	11	11	8	10	10	8	8	9	8	9	13	118
F	7	8	11	12	7	6	3	4	5	7	7	8	85
G	9	9	13	13	9	7	4	4	5	7	9	9	98

Willow Grove PA POR: Jan 66-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	25	20	11	2	0	0	0	0	0	#	5	18	81
B	11	9	11	11	12	11	10	10	9	8	10	11	123
C	0	0	0	0	0	1	3	1	0	0	0	0	5
D	#	#	1	2	4	5	6	6	3	1	1	#	29
E	18	14	13	9	11	10	12	13	12	14	14	17	157
F	6	6	9	7	4	2	1	1	2	2	3	5	48
G	7	7	10	8	4	2	2	1	2	3	4	6	56

Wilmington DE POR: Jan 68-Dec 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	21	16	7	1	0	0	0	0	0	#	3	15	63
B	11	10	11	11	11	10	9	9	8	8	10	10	118
C	0	0	0	0	0	1	3	1	1	0	0	0	6
D	#	#	1	2	4	6	6	6	2	1	1	#	29
E	12	9	8	7	10	10	11	12	11	11	10	12	123
F	14	14	19	18	13	9	6	5	6	9	12	13	138
G	16	16	20	20	14	10	7	6	7	10	14	16	156

Wright-Patterson AFB OH POR: May 36-May 85

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	25	21	13	3	#	0	0	0	0	#	9	21	92
B	13	11	13	13	12	11	10	9	8	9	11	12	132
C	0	0	0	0	#	3	6	3	1	0	0	0	13
D	1	1	2	5	7	8	8	7	4	2	1	#	46
E	23	19	16	11	11	10	10	11	10	11	17	23	172
F	12	12	14	14	11	8	6	5	6	7	11	11	117
G	14	14	16	15	11	9	6	5	7	8	13	14	132



# CORROSION CONTROL CLIMATOLOGY

Mean number of days with:

- A Temperature less than or equal to 40°F at noon LST
  - B Precipitation greater than a trace
  - C Temperature greater than 85°F for 5 hours or more
  - D Thunderstorms
  - E Relative Humidity greater than 60% at noon LST
  - F Wind greater than 15 Knots between 06 & 18 LST
  - G Wind greater than 15 Knots--all hours
- # = Less than 1/2 day

Yokota AB, Japan POR: Nov 47-Feb 88

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	5	5	2	#	0	0	0	0	0	0	#	1	13
B	5	7	10	11	12	15	15	12	14	12	8	5	126
C	0	0	0	0	0	0	2	4	#	0	0	0	6
D	#	#	#	#	1	2	3	4	1	#	#	#	12
E	5	7	9	12	14	20	25	22	21	17	11	7	170
F	7	8	9	9	8	4	3	4	3	3	5	5	68
G	8	9	10	10	9	4	4	5	3	3	5	6	76

Zaragoza AB, Spain POR: Jul 57-May 87

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	7	2	#	#	0	0	0	0	0	0	1	6	16
B	6	7	7	7	8	6	4	4	5	7	7	7	75
C	0	0	0	0	0	0	#	0	0	0	0	0	#
D	#	#	#	1	4	5	5	4	4	1	#	#	25
E	19	14	9	6	4	3	2	3	7	12	16	19	114
F	11	12	15	14	13	10	11	10	7	9	10	13	135
G	14	13	17	17	15	14	16	15	9	10	11	15	166

Zweibrucken AB, West Germany POR: Oct 54-May 86

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
A	23	19	11	4	#	0	0	0	0	2	13	20	92
B	17	12	15	12	15	13	12	11	12	14	14	15	162
C	0	0	0	0	0	0	0	0	0	0	0	0	0
D	#	#	1	1	3	6	4	4	2	1	#	#	23
E	27	22	22	15	15	14	14	16	18	25	26	27	241
F	8	6	8	7	6	4	4	3	4	5	7	8	70
G	9	7	9	8	6	5	4	4	4	5	8	9	78

# DISTRIBUTION

AWS/DN, Scott AFB, IL 62225-5008.....	3
AWS/DO, Scott AFB, IL 62225-5008.....	3
AWS/PM, Scott AFB, IL 62225-5008.....	1
OL A, HQ AWS, Buckley ANG Base, Aurora, CO 80011-9599.....	1
OL-B, HQ AWS, Langley AFB, VA 23665-5000.....	1
AFOTEC/WE, Kirtland AFB, NM 87117-7001.....	1
CACDA, OL-E, HQ AWS, ATZL-CAW, Ft Leavenworth, KS 66027-5300.....	1
SD/CWDA, PO Box 92960, Worldway Postal Ctr, Los Angeles, CA 90009-2960.....	1
OL-H, HQ AWS (ATSI-CD-CS-SWO), Ft Huachuca, AZ 85613-7000.....	1
OL-I, HQ AWS (ATDO-WE), Ft Monroe, VA 23651-5000.....	1
AFOTEC OL-NX, 1313 Halley Circle, Norman, OK 73069-8493.....	1
Det 1, HQ AWS, Pentagon, Washington, DC 20330-6560.....	1
Det 2, HQ AWS, Pentagon, Washington, DC 20330-5054.....	1
AFSCF/WE, PO Box 3430, Onizuka AFS, CA 94088-3430.....	1
Det 8, HQ AWS, PO Box 4239, N Las Vegas, NV 89030.....	1
Det 9, HQ AWS, PO Box 12297, Las Vegas, NV 89112-0297.....	1
1WW/DN, Hickam AFB, HI 96853-5000.....	3
20WS/DN, APO San Francisco 96328-5000.....	1
30WS/DN, APO San Francisco 96301-0420.....	1
2WW/DN, APO New York 09094-5000.....	3
7WS/DN, APO New York 09403-5000.....	1
28WS/DN, APO New York 09127-5000.....	1
31WS/DN, APO New York 09136-5000.....	1
3WW/DN, Offutt AFB, NE 68113-5000.....	3
9WS/DN, March AFB, CA 92518-5000.....	1
11WS/DN, Elmendorf AFB, AK 99506-5000.....	1
24WS/DN, Randolph AFB, TX 78150-5000.....	1
26WS/DN, Barksdale AFB, LA 71110-5002.....	1
4WW/DN, Peterson AFB, CO 80914-5000.....	3
2WS/DN, Andrews AFB, MD 20334-5000.....	19
5WW/DN, Langley AFB, VA 23665-5000.....	3
1WS, MacDill AFB, FL 33608-5000.....	1
3WS/DN, Shaw AFB, SC 29152-5000.....	1
5WS/DN, Ft McPherson, GA 30330-5000.....	1
25WS/DN, Bergstrom AFB, TX 78743-5000.....	1
AFGWC/SDSL, Offutt AFB, NE 68113-5000.....	3
USAFETAC, Scott AFB, IL 62225-5438.....	3
7WW/DN, Scott AFB, IL 62225-5008.....	3
6WS, Hurlburt Field, FL 32544-5000.....	1
15WS/DN, McGuire AFB, NJ 08641-5002.....	1
17WS/DN, Travis AFB, CA 94535-5000.....	1
JSOC/Weather, P.O. Box 70239, Fort Bragg, NC 28307-5000.....	1
3350 TECH TG/TTGU-W, Stop 62, Chanute AFB, IL 61868-5000.....	2
AFIT/CIR, Wright-Patterson AFB, OH 45433-6583.....	1
AFCSA/SAGW, Washington, DC 20330-5000.....	1
NAVOCEANCOMDET, Federal Building, Asheville, NC 28801-2723.....	1
NAVOCEANCOMDET, Patuxent River NAS, MD 20670-5103.....	1
COMNAVOCEAN, NSTL, Bay St Louis, MS 39529-5000.....	1
NAVOCEANO, Code 4601 (Ms Loomis), NSTL Bay St Louis, MS 39529-5001.....	1
NEPRF, Monterey, CA 93943-5006.....	1
Naval Research Laboratory, Code 4323, Washington, DC 20375.....	1
Naval Postgraduate School, Chmn, Dept of Meteorology, Code 63, Monterey, CA 93943-5000.....	1
Naval Eastern Oceanography Ctr, U117 McCady Bldg, Attn: Clim Section (A62 Kopera), NAS Norfolk, Norfolk, VA 23511-5000.....	1
Naval Western Oceanography Ctr, Box 113, Attn: Tech Library, Pearl Harbor, HI 96860-5000.....	1
Naval Oceanography Command Ctr, COMNAVMAR Box 12, FPO San Francisco, CA 96630-5000.....	1
AFGL Library, Attn: SULLR, Stop 29, Hanscom AFB, MA 01731-5000.....	1
Atmospheric Sciences Laboratory, White Sands Missile Range, NM 88002-5501.....	1
U.S. Army Missile Command, ATTN: AMSMI-RD-TE-T, Redstone Arsenal, AL 35898-5250.....	1
Technical Library, Dugway Proving Ground, Dugway, UT 84022-5000.....	1
NCDC Library (D542X2), Federal Building, Asheville, NC 28801-2723.....	1
DTIC-FDAB, Cameron Station, Alexandria, VA 22304-6145.....	2
75th Ranger Btn (Attn: Lt David Musick), Ft Benning GA 31905-5000.....	1
HQ 5th U.S. Army, AFKB-OP (SWO), Ft Sam Houston, TX 78234-7000 (All DSs).....	1
WR-ALC/MMEA, Robins AFB, GA 31098-5609.....	1
Battelle Columbus Division, 505 King Ave, Columbus, OH 43201-2693.....	3
AUL/LSE, Maxwell AFB, AL 36112-5564.....	1
AWSTL, Scott AFB, IL 62225-5438.....	75